

USF Patents

July 2018

Three-dimensionals RFID tags

Ramiro Augusto Ramirez

Thomas McCrea Weller

Eduardo Antonio Rojas

Follow this and additional works at: https://scholarcommons.usf.edu/usf_patents

Recommended Citation

Ramirez, Ramiro Augusto; Weller, Thomas McCrea; and Rojas, Eduardo Antonio, "Three-dimensionals RFID tags" (2018). *USF Patents*. 1057.

https://scholarcommons.usf.edu/usf_patents/1057

This Article is brought to you for free and open access by Scholar Commons. It has been accepted for inclusion in USF Patents by an authorized administrator of Scholar Commons. For more information, please contact scholarcommons@usf.edu.



US010038248B1

(12) **United States Patent**
Ramirez et al.

(10) **Patent No.:** **US 10,038,248 B1**
(45) **Date of Patent:** **Jul. 31, 2018**

- (54) **THREE-DIMENSIONALS RFID TAGS**
- (71) Applicants: **Ramiro Augusto Ramirez**, Tampa, FL (US); **Thomas McCrea Weller**, Lutz, FL (US); **Eduardo Antonio Rojas**, Temple Terrace, FL (US)
- (72) Inventors: **Ramiro Augusto Ramirez**, Tampa, FL (US); **Thomas McCrea Weller**, Lutz, FL (US); **Eduardo Antonio Rojas**, Temple Terrace, FL (US)
- (73) Assignee: **University of South Florida**, Tampa, FL (US)
- (*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 71 days.
- (21) Appl. No.: **15/202,783**
- (22) Filed: **Jul. 6, 2016**

- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- | | | | | |
|--------------|------|---------|----------|---------------------|
| 8,319,694 | B2 | 11/2012 | Yang | |
| 8,381,998 | B1 | 2/2013 | Chang | |
| 9,836,685 | B1 * | 12/2017 | Ramirez | G06K 19/07722 |
| 2007/0120677 | A1 | 5/2007 | Park | |
| 2008/0055045 | A1 | 3/2008 | Swan | |
| 2008/0111688 | A1 | 5/2008 | Nikitin | |
| 2010/0065647 | A1 * | 3/2010 | Ritamaki | G06K 19/041 |
| | | | | 235/492 |
| 2012/0235870 | A1 * | 9/2012 | Forster | H01Q 7/00 |
| | | | | 343/728 |
| 2015/0198708 | A1 * | 7/2015 | Khan | G01S 13/38 |
| | | | | 342/146 |
| 2015/0288424 | A1 * | 10/2015 | Tedjini | G06K 19/07766 |
| | | | | 455/41.1 |

- FOREIGN PATENT DOCUMENTS
- WO 2014/057464 A4 4/2014
- OTHER PUBLICATIONS

Phatarachaisakul, Pumpoung et al, Tag Antenna Using Printed Dipole with H-Slot for UHF RFID applications, Proceedings of the International Electrical Engineering Congress 2014.*
(Continued)

Primary Examiner — Albert K Wong
(74) *Attorney, Agent, or Firm* — Thomas I Horstemeyer, LLP


(57) **ABSTRACT**

In one embodiment, a radio-frequency identification (RFID) tag includes multiple orthogonal substrates, a passive RFID integrated circuit chip mounted to one of the substrates, and a three-dimensional tag antenna electrically connected to the chip and extending to each of the orthogonal substrates.

25 Claims, 4 Drawing Sheets

Related U.S. Application Data

- (60) Provisional application No. 62/196,287, filed on Jul. 23, 2015.
- (51) **Int. Cl.**
H01Q 1/22 (2006.01)
H01Q 9/28 (2006.01)
H01Q 1/36 (2006.01)
- (52) **U.S. Cl.**
CPC **H01Q 9/285** (2013.01); **H01Q 1/2225** (2013.01); **H01Q 1/36** (2013.01)
- (58) **Field of Classification Search**
USPC 343/795
See application file for complete search history.



(56)

References Cited

OTHER PUBLICATIONS

Rao, K. V. S., Sander F. Lam, and Pavel V. Nikitin. "UHF RFID tag for metal containers." Microwave Conference Proceedings (APMC), 2010 Asia-Pacific. IEEE, 2010.

Lee, J-W., and B. Lee. "Design of high-Q UHF radio-frequency identification tag antennas for an increased read range." IET micro-waves, antennas & propagation 2.7 (2008): 711-717.

Hodges, Steve, et al. "Assessing and optimizing the range of UHF RFID to enable real-world pervasive computing applications." Pervasive Computing. Springer Berlin Heidelberg, 2007. 280-297.

* cited by examiner




FIG. 1A




FIG. 1B




FIG. 2




FIG. 3




FIG. 4A




FIG. 4B

THREE-DIMENSIONALS RFID TAGS

CROSS-REFERENCE TO RELATED APPLICATION

This application claims priority to U.S. Provisional Application Ser. No. 62/196,287, filed Jul. 23, 2015, which is hereby incorporated by reference herein in its entirety.

BACKGROUND

Many new radio-frequency identification (RFID) applications have been introduced into the market in recent years. Naturally, all such applications would benefit from RFID tags that are smaller, lighter, and have greater read range.

Although studies have been conducted that have focused on improving the performance of planar antennas, high-frequency antennas have been successfully fabricated using three-dimensional fabrication techniques, such as additive manufacturing. These antennas have been fabricated using thermoplastics having a low loss tangent (as compared to commercially available substrates) such as acrylonitrile butadiene styrene (ABS) and silver-based conductive paste (e.g., Dupont CB028). Such materials can be printed in a conformal manner and used to form non-planar three-dimensional printed devices.

In view of the availability of three-dimensional fabrication techniques, it would be desirable to fabricate RFID tag antennas using these techniques in order to obtain improved results in terms of one or more of cost, size, weight, and read distance.

BRIEF DESCRIPTION OF THE DRAWINGS

The present disclosure may be better understood with reference to the following figures. Matching reference numerals designate corresponding parts throughout the figures, which are not necessarily drawn to scale.

FIG. 1A is a perspective view of an embodiment of a three-dimensional radio-frequency identification (RFID) tag.

FIG. 1B is a plan view of the RFID tag of FIG. 1A.

FIG. 2 is a graph that shows the simulated reflection coefficient of a three-dimensional tag antenna similar to that shown in FIG. 1 incorporating ABS and Rogers substrates.

FIG. 3 is a photograph of two fabricated three-dimensional tag antennas constructed using Rogers Duroid RT5870 (left) and ABS (right).

FIG. 4 is a graph that provides a read distance comparison for multiple three-dimensional RFID tag designs.

FIGS. 5A and 5B are graphs that show E-Plane (FIG. 5A) and H-plane (FIG. 5B) results for simulated (short dash), measured ABS (long dash), and measured Rogers (solid) tag antennas.

DETAILED DESCRIPTION

As described above, it would be desirable to fabricate radio-frequency identification (RFID) tag antennas using three-dimensional fabrication techniques in order to obtain improved results in terms of one or more of cost, size, weight, and read distance. Disclosed herein are three-dimensional RFID tags that are fabricated using such techniques. In some embodiments, the tags comprise a passive RFID integrated circuit (IC) chip and a three-dimensional tag antenna that is electrically connected to the chip. In some embodiments, the tag antenna is a dipole antenna having

arms that comprise conductive lines that have been deposited on multiple orthogonally arranged substrates that together form an open-topped rectangular hexahedron. In some embodiments, the impedance matching between the antenna arms and the passive RFID IC chip is accomplished with an H-slot matching technique to obtain a simulated 10 dB return loss bandwidth that enables the tag to operate in the American and European ISM RFID bands of 902-928 MHz and 864-868 MHz, respectively.

In the following disclosure, various specific embodiments are described. It is to be understood that those embodiments are example implementations of the disclosed inventions and that alternative embodiments are possible. All such embodiments are intended to fall within the scope of this disclosure.

Described in this disclosure is a three-dimensional approach used to design and manufacture RFID tags comprising a three-dimensional tag antenna that is connected to a RFID integrated circuit (IC) chip. The antennas are designed so as to provide a good impedance match at the ports of the chip and the highest gain possible to improve the read range. In addition, goals such as lower cost, lighter weight, smaller footprint, and smaller volume are achieved. As described below, additive manufacturing was used to fabricate a three-dimensional tag antenna that provides a return loss greater than 10 dB and a simulated gain of 1.63 dBi, using acrylonitrile butadiene styrene (ABS) and Dupont CB028 silver-based conductive paste. The same design was also fabricated using a commercially available substrate that has similar electrical properties as ABS (Rogers Duroid RT 5870) for the purpose of benchmarking. These two antennas were compared with similarly sized commercial RFID tags and showed better read ranges.

FIG. 1 illustrates an embodiment of a three-dimensional RFID tag **10**. More particularly, FIG. 1A shows the tag **10** in a top perspective view while FIG. 1B shows the tag in a top (plan) view. Generally speaking, the tag **10** comprises an RFID IC chip **12** that is electrically coupled to a three-dimensional tag antenna **14**. By way of example, the RFID IC chip **12** can comprise NXP's UCODE G2iL SL3S1203_1213 passive RFID chip, which has a sensitivity of -18 dBm and a 128-bit EPC memory including 64 bits for tag identification (TID). The reported normal mode input impedance for this RFID chip is $Z_{in}=(25-j237) \Omega$ and $Z_{in}=(23-j224) \Omega$ at 866 MHz and 915 MHz, respectively. The communication between the RFID reader board and the RFID chip **12** is compliant with the Class 1 Generation 2 ISO 18000-6C protocol. Because the passive RFID IC chip's normal mode input impedance does not show a strong frequency dependent behavior, the tag antenna **14** can be designed using the H-slot matching technique to be conjugate matched with the RFID IC chip **12** for the maximum power transfer possible, covering the European ISM RFID band (862-868 MHz) and the American ISM RFID band (902-928 MHz). This approach makes the tag antenna **14** suitable for worldwide RFID applications.

In some embodiments, the tag antenna **14** operates as a dual-band radiator by selecting the center frequency between the European and the American RFID bands. In such a case, an 894 MHz half-wavelength dipole can be implemented. A single antenna arm length of 84 mm could be used in such an application because this distance represents approximately one quarter wavelength of an 894 MHz wave in free space. However, an 84 mm arm leads to a single planar two-dimensional model with a total length of 190 mm, which might be too large for applications in which the required volume is reduced and only a smaller antenna can

be implemented. Accordingly, a three-dimensional tag antenna geometry is implemented in the tag **10** to reduce its footprint.

The tag antenna **14** illustrated in FIGS. **1A** and **1B** is a three-dimensional half-wave dipole antenna. As shown most clearly in FIG. **1A**, the antenna **14** is formed on multiple substrates that together form part of an open-topped rectangular hexahedron (i.e., an open-topped, five-sided rectangular box). In the illustrated embodiment, these substrates include a base substrate **16** to which the RFID IC chip **12** is mounted, opposed first and second end substrates **18** and **20**, and opposed first and second lateral substrates **22** and **24**. While these substrates **18-24** can be independent substrates that are joined together after they are separately fabricated, it is noted that they can, in other embodiments, be unitarily formed as a single piece of same material in an additive manufacturing context. Irrespective of how they are formed, each of the substrates **18-24** is orthogonal to the other substrates. In the orientation shown in FIG. **1A**, the base substrate **16** is contained in a horizontal plane while the end substrates **18**, **20** and the lateral substrates **22**, **24** are contained in separate vertical planes. Each substrate is composed of a dielectric material and comprises an inner surface that faces the interior of the hexahedron and an outer surface that faces outward from the hexahedron. By way of example, the substrates can have thicknesses of approximately 60 mils and form rectangular box that is approximately 41 mm long, 23 mm wide, and 11.52 mm tall. This provides a reduction in length of 78% relative to a planar two-dimensional design.

With further reference to FIGS. **1A** and **1B**, the tag antenna **14** comprises two separate quarter-wavelength dipole arms comprising conductive lines or segments that extend from the RFID IC chip in opposite directions along a longitudinal axis of the RFID tag **10**. A first three-dimensional dipole arm **26** comprises a first or horizontal portion **28** formed on the inner surface of the base substrate **16** (and therefore lies in the horizontal plane) and a vertical portion **30** that extends upward from the base substrate and along the inner surfaces of the second end substrate **20** and the first lateral substrate **22** (and therefore lies in two different orthogonal, vertical planes). In the illustrated embodiment, the horizontal portion **28** includes a first longitudinal segment **32** that extends outwardly from the RFID IC chip **12** at a center of the first substrate **16** along a longitudinal direction of the RFID tag **10** toward the first end substrate **18**, a first transverse segment **34** that extends outwardly from the first longitudinal segment **32** along a transverse direction of the tag to the first lateral substrate **22**, a second longitudinal segment **36** that extends outwardly from the first transverse segment **34** along the longitudinal direction of the tag and along the first lateral substrate **22** to the first end substrate **18**, and a second transverse segment **38** that extends inwardly from the second longitudinal segment **36** along the transverse direction of the tag and along the first end substrate **18** toward the second lateral substrate **24**. Accordingly, the horizontal portion **28** of the first dipole arm **26** forms a first meandered portion of the first dipole arm **26**.

In the illustrated embodiment, the vertical portion **30** of the first dipole arm **26** comprises a first vertical segment **40** that extends upwardly from the second transverse segment **38** along the first end substrate **18**, a first horizontal segment **42** that extends outwardly from the first vertical segment **40** along the transverse direction of the tag to the second lateral substrate **24**, a second vertical segment **44** that extends upwardly from the first horizontal segment **42** along the

second lateral substrate **24** to a top edge of the first end substrate **18**, a third horizontal segment **46** that extends inwardly from the second vertical segment **44** along the transverse direction of the tag and along the top edge of the first end substrate **18** to the first lateral substrate **22**, and a fourth horizontal segment **48** that extends inwardly from the third horizontal segment **46** along the longitudinal direction of the tag and along a top edge of the first lateral substrate **22** toward the second end substrate **20**. Accordingly, the vertical portion **30** of the first dipole arm **26** forms a second meandered portion of the first dipole arm **26**.

A second three-dimensional dipole arm **50**, which is anti-symmetrical to the first dipole arm **26**, comprises a first or horizontal portion **52** that is formed on the inner surface of the base substrate **16** (and therefore lies in the horizontal plane) and a vertical portion **54** that extends upward from the base substrate and along the inner surfaces of the first end substrate **18** and the second lateral substrate **24** (and therefore lies in two different orthogonal, vertical planes). In the illustrated embodiment, the horizontal portion **52** includes a first longitudinal segment **56** that extends outwardly from the RFID IC chip **12** at the center of the first substrate **16** along the longitudinal direction of the RFID tag **10** toward the second end substrate **20**, a first transverse segment **58** that extends outwardly from the first longitudinal segment **56** along the transverse direction of the tag to the second lateral substrate **24**, a second longitudinal segment **60** that extends outwardly from the first transverse segment **58** along the longitudinal direction of the tag and along the second lateral substrate **24** to the second end substrate **20**, and a second transverse segment **62** that extends inwardly from the second longitudinal segment **60** along the transverse direction of the tag and along the second end substrate **20** toward the first lateral substrate **22**. Accordingly, the horizontal portion **52** of the second dipole arm **50** forms a first meandered portion of the second dipole arm **50**.

In the illustrated embodiment, the vertical portion **54** of the second dipole arm **50** comprises a first vertical segment **64** that extends upwardly from the second transverse segment **62** along the second end substrate **20**, a first horizontal segment **66** that extends outwardly from the first vertical segment **64** along the transverse direction of the tag to the first lateral substrate **22**, a second vertical segment **68** that extends upwardly from the first horizontal segment **66** along the first lateral substrate **22** to a top edge of the second end substrate **20**, a third horizontal segment **70** that extends inwardly from the second vertical segment **68** along the transverse direction of the tag and along the top edge of the second end substrate **20** to the second lateral substrate **24**, and a fourth horizontal segment **72** that extends inwardly from the third horizontal segment **70** along the longitudinal direction of the tag and along a top edge of the second lateral substrate **24** toward the first end substrate **18**. Accordingly, the vertical portion **54** of the second dipole arm **50** forms a second meandered portion of the second dipole arm **50**.

In some embodiments, each of the dipole arms **26**, **32** is approximately 1 mm wide along its entire length. As is further shown in FIGS. **1A** and **1B**, the first and second dipole arms **26**, **32** are coupled to a matching network **80** that comprises a continuous, rectangular matching loop **82** that surrounds the RFID IC chip **12** and the inner portions of the longitudinal segments **32** and **56** of the first and second dipole arms **26** and **50**, respectively. Together, the matching loop **82** and the segments **32** and **56** form an H-slot **86** having two parallel longitudinal open sections on either side of the RFID IC chip **12** that are joined by a center transverse open section in which the chip is positioned. Example

dimensions for variables identified in FIGS. 1A and 1B for the dipole arms 26, 50 and the continuous matching loop 38 are provided in Table I below.

TABLE I

Example Tag Antenna Dimensions in Millimeters Tag Antenna Dimensions of Interest			
Variable	Value (mm)	Variable	Value (mm)
L1	38	WT	20
L2	18	W1	10.5
L3	5.5	W2	10.5
HT	23	W3	14
	11.524	H1	5

Two dielectric materials having similar characteristics were evaluated for use in the construction of the tag substrates. These materials were ABS ($\epsilon_r \sim 2.6$ and $\tan \delta \sim 0.0052$) and Rogers Duroid RT5870 ($\epsilon_r \sim 2.33$ and $\tan \delta \sim 0.0012$). Simulations were performed with Ansys HFSS 15 and the simulated reflection coefficient over frequency is shown in FIG. 2. The dipole was conjugate-matched to the RFID IC chip impedance by an H-slot with dimensions of 23 mm \times 14 mm. The resonant frequency of the ABS board and Rogers Duroid RT 5870 design were optimized to have a 10 dB return loss bandwidth of 28.86% (Rogers) and 33.69% (ABS) covering the bands of interest as shown.

Two different fabrication methods were used to create three-dimensional tag antennas similar to that shown in FIG. 1. In a first method, direct digital manufacturing (DDM) was employed to realize rectangular substrates that can form the hexahedron and support the metallization lines (see FIG. 3). The dielectric substrates were fabricated with a fused deposition modeling (FDM) three-dimensional printer (Stratasys Uprint).

ABS was used, which is a thermoplastic commonly utilized in additive manufacturing. The electrical properties of this material were extracted using the measured S parameters of a resonant cavity manufactured by Damaskos Inc. These parameters were a relative dielectric permittivity (ϵ_r) of 2.6 and loss tangent of 0.0052 at 1.19 GHz. The conductive layer was fabricated using an nScript Tabletop three-dimensional printer. Employing microdispensing, a silver-based conductive paste (Dupont CB028) was printed on top of the ABS substrates at a speed of 25 mm/s and a pressure of 12 psi using a 125 μ m inner diameter ceramic tip. The substrates were then cured at 90 $^\circ$ C. for 1 hour. The hexahedron was then assembled using a commercial two-part epoxy resin and the electrical connection in between the antenna arms and to the RFID IC chip was made by manual application of silver-based conducting paste to fill the gaps.

The second fabrication method that was used traditional photolithography, i.e., copper etching and soldering, utilizing the Rogers Duroid RT5870. The same design dimensions were used to fabricate a clear field photomask. A two-part epoxy resin was utilized to assemble the hexahedron and the copper traces were electrically connected using solder. The RFID IC chip was connected manually using the silver-based conductive paste.

A feed network comprising a balun and a matching network was also fabricated for testing purposes. Two copies of the same feed network (one for each antenna) were fabricated using the same Rogers substrate: An L-section topology of two shunt capacitors of 0.8 pF (Passive Plus Inc.) and one series inductor of 24 nH (Coilcraft), followed by a 900 MHz balun (0900BL18B200E Johanson Technol-

ogy, Inc). The feed networks were attached to the tag antennas using the two-part resin epoxy and electrically connected using the silver-based conductive paste.

The performance of the fabricated RFID tags was compared with two commercially available versions similar in size: the Confidex Steelwave Micro II and that Xerafy Microx II (see Table II). These two tags are far-field RFID tags with a specified read range of 5 m and 10 m (according to datasheets), respectively. The benchmarking was performed inside an anechoic chamber using a fixture so that the distance from the reader and the tag was manually adjustable. The distance was measured using a Bosch GLM 15 compact laser measure device. The CS101 Handheld RFID reader was employed to measure the read range for each of the tags. FIG. 4 shows the reader power setting (threshold power) versus the read distance. In this case, for each power setting level (10, 20, and 30 dBm) the maximum read distance for each tag was measured. The data was fitted with a far-field model, proportional to $\log_{10}(1/d^2)$ (behavior consistent with the Friis equation), where d is the separation in between the reader and the tag. For a 30 dBm threshold power, the three-dimensional RFID tags reach a read distance of 6.36 meters (ABS) and 6.4 m (Rogers) as compared to 0.715 m (Confidex), and 2.69 m (Xerafy). This performance represents a 136.43% read range improvement with respect to the Xerafy tag, which is also 22.6 g heavier and larger in size than the proposed ABS tag.

TABLE II

Tag Weight and Size Comparison		
Tag	Size	Weight
Confidex Steelwave Micro II	51 \times 36.3 \times 7.5 mm ³	2 g
Xerafy Microx II	38 \times 13 \times 4.5 mm ³	26 g
ABS-3D Printed	41 \times 23 \times 11.52 mm ³	3.4 g
Rogers-Photolithography	41 \times 23 \times 11.52 mm ³	9.2 g

The balun described above was used to transform the balanced port of the RFID chip to an unbalanced (coaxial) 50 Ω impedance. With this transformation, the radiation patterns of the antenna constructed of ABS and the antenna constructed of Rogers Duroid RT5870 material were measured inside an anechoic chamber. FIG. 5 shows the simulated and measured E-Plane (FIG. 5A) and H-Plane (FIG. 5B) normalized patterns. The simulated gain was 1.63 dBi for the ABS antenna and 1.8 dBi for the Rogers antenna. The patterns of the tags had some deviation when compared to the simulated one, which can be caused by the presence of the feed circuit (including the coaxial connector) placed in the center of the tag.

The above results establish that low-cost, three-dimensional RFID tag antennas can provide a sizable improvement on read range when compared with similar commercial tags available in the market.

The invention claimed is:

1. A radio-frequency identification (RFID) tag comprising:
 - multiple orthogonal substrates including a base substrate, opposed parallel first and second end substrates that extend upward from the base substrate, and opposed parallel first and second lateral substrates that extend upward from the base substrate, the end substrates and the lateral substrates being perpendicular to the base substrate, each substrate having an inner surface and an outer surface;

a passive RFID integrated circuit chip mounted to the inner surface of the base substrate; and

a three-dimensional tag antenna electrically connected to the chip and including a first three-dimensional dipole arm and a second three-dimensional dipole arm, each dipole arm extending outward from the RFID integrated circuit chip in opposite directions along the inner surface of the base substrate, extending up the inner surface of one of the end substrates, and further extending along the inner surface of one of the lateral substrates, wherein the two dipole arms are anti-symmetrical to each other.

2. The RFID tag of claim 1, wherein tag antenna is a dual-band radiator.

3. The RFID tag of claim 2, wherein the tag antenna has a center frequency of approximately 984 MHz.

4. The RFID tag of claim 1, wherein the substrates together form an open-topped rectangular hexahedron in which the RFID integrated circuit chip and the three-dimensional tag antenna are provided.

5. The RFID tag of claim 1, wherein each dipole arm comprises a first meandered portion formed on the inner surface of the base substrate and a second meandered portion formed on the inside surface of one of the end substrates.

6. The RFID tag of claim 1, wherein the antenna is formed using an additive manufacturing technique in which conductive material is deposited on the substrates.

7. The RFID tag of claim 6, wherein the substrates are made of acrylonitrile butadiene styrene (ABS).

8. The RFID tag of claim 7, wherein the antenna is made of a conductive paste.

9. The RFID tag of claim 1, further comprising a matching network.

10. The RFID tag of claim 9, wherein the matching network comprises a continuous matching loop formed on the inner surface of the base substrate that surrounds the RFID integrated circuit chip.

11. The RFID tag of claim 10, wherein the matching loop and the dipole arms together form an H-slot on the inner surface of the base substrate that is centered on the RFID integrated circuit chip.

12. A three-dimensional antenna comprising:
 multiple orthogonal substrates including a base substrate, opposed parallel first and second end substrates that extend upward from the base substrate, and opposed parallel first and second lateral substrates that extend upward from the base substrate, the end substrates and the lateral substrates being perpendicular to the base substrate, each substrate having an inner surface and an outer surface; and
 a first three-dimensional dipole arm and a second three-dimensional dipole arm, each dipole arm extending outward from a center of the base substrate in opposite directions along the inner surface of the base substrate, extending up the inner surface of one of the end substrates, and further extending along the inner surface of one of the lateral substrates, wherein the two dipole arms are anti-symmetrical to each other.

13. The antenna of claim 12, wherein each dipole arm comprises a first meandered portion formed on the inner surface of the base substrate and a second meandered portion formed on the inner surface of one of the end substrates.

14. The antenna of claim 12, further comprising a matching network that includes a continuous matching loop formed on the inner surface of the base substrate.

15. The antenna of claim 13, wherein the first meandered portion of each dipole arm comprises a first longitudinal segment that extends toward one of the end substrates, a first transverse segment that extends toward one of the lateral substrates, a second longitudinal segment that extends toward one of the end substrates, and a second transverse segment that extends toward one of the lateral substrates.

16. The antenna of claim 15, wherein the second meandered portion of each dipole arm comprises a first vertical segment that extends upward away from the base substrate, a first horizontal segment that extends toward one of the lateral substrates, a second vertical segment that extends upward away from the base substrate, and a second horizontal segment that extends toward one of the lateral substrates.

17. The antenna of claim 16, wherein each dipole arm further comprises a horizontal segment that extends along one of the lateral substrates.

18. The antenna claim 14, wherein the matching loop and the dipole arms together form an H-slot on the inner surface of the base substrate.

19. The antenna of claim 12, wherein the substrates together form an open-topped rectangular hexahedron in which the antenna is formed.

20. The antenna of claim 12, wherein the antenna is formed using an additive manufacturing technique in which conductive material is deposited on the substrates.

21. The antenna of claim 20, wherein the substrates are made of acrylonitrile butadiene styrene (ABS).

22. The antenna of claim 21, wherein the antenna is made of a conductive paste.

23. The RFID tag of claim 5, wherein the first meandered portion of each dipole arm comprises a first longitudinal segment that extends toward one of the end substrates, a first transverse segment that extends toward one of the lateral substrates, a second longitudinal segment that extends toward one of the end substrates, and a second transverse segment that extends toward one of the lateral substrates.

24. The RFID tag of claim 23, wherein the second meandered portion of each dipole arm comprises a first vertical segment that extends upward away from the base substrate, a first horizontal segment that extends toward one of the lateral substrates, a second vertical segment that extends upward away from the base substrate, and a second horizontal segment that extends toward one of the lateral substrates.

25. The RFID tag of claim 24, wherein each dipole arm further comprises a horizontal segment that extends along one of the lateral substrates.

* * * * *