

2015

Reduction Corporoplasty

Tariq S. Hakky
University of South Florida

Daniel Martinez
University of South Florida

Christopher Yang
University of South Florida

Rafael E. Carrion
University of South Florida, carriore@usf.edu

Follow this and additional works at: https://digitalcommons.usf.edu/uro_facpub

 Part of the [Urology Commons](#)

Scholar Commons Citation

Hakky, Tariq S.; Martinez, Daniel; Yang, Christopher; and Carrion, Rafael E., "Reduction Corporoplasty" (2015). *Urology Faculty Publications*. 6.
https://digitalcommons.usf.edu/uro_facpub/6

This Article is brought to you for free and open access by the Urology at Digital Commons @ University of South Florida. It has been accepted for inclusion in Urology Faculty Publications by an authorized administrator of Digital Commons @ University of South Florida. For more information, please contact scholarcommons@usf.edu.



Reduction Corporoplasty

Tariq S. Hakky ¹, Daniel Martinez ¹, Christopher Yang ¹, Rafael E. Carrion ¹

¹ *Department of Urology and Division of Andrology, University of South Florida, FL, USA*

ABSTRACT

Objective: Here we present the first video demonstration of reduction corporoplasty in the management of phallic disfigurement in a 17 year old man with a history sickle cell disease and priapism.

Introduction: Surgical management of aneurysmal dilation of the corpora has yet to be defined in the literature.

Materials and Methods: We preformed bilateral elliptical incisions over the lateral corpora as management of aneurysmal dilation of the corpora to correct phallic disfigurement.

Results: The patient tolerated the procedure well and has resolution of his corporal disfigurement.

Conclusions: Reduction corporoplasty using bilateral lateral elliptical incisions in the management of aneurysmal dilation of the corpora is a safe an feasible operation in the management of phallic disfigurement.

ARTICLE INFO

ARTICLE INFO Available at: www.brazjurol.com.br/videos/march_april_2015/Hakky_397_398video.htm

Int Braz J Urol. 2015; 41 (Video #3): 397-8

Submitted for publication:
November 01, 2014

Accepted after revision:
December 09, 2014

Correspondence address:

Rafael E. Carrion, MD
2 Tampa General Circle
Tampa, FL 33602, USA
E-mail: rcarrion@health.usf.edu

EDITORIAL COMMENT

In this video by Hakky et al., the authors nicely depict a surgical technique of reduction corporoplasty using bilateral lateral elliptical incisions in the management of aneurysmal dilation of the corpora cavernosa. This surgical approach is both novel and nicely depicted by

the authors. In the continual goal of penile reconstructive surgery to preserve/optimize penile length and functionality, the present surgical approach adds to our present surgical. The merits of this versus other techniques are ultimately at the discretion of the surgeon appreciating his personal surgical outcomes with a given technique weighed along with the expectations and treatment goals of the individual patient.

Philippe E. Spiess, MD
Video Section Editor,
International Brazilian Journal of Urology
E-mail: Philippe.Spiess@moffitt.org