

August 2006

## Coprinus disseminatus data sheet : Coprinus disseminatus [images]

Jason Prior

Matthew Prior

Follow this and additional works at: [https://digitalcommons.usf.edu/tropical\\_ecology](https://digitalcommons.usf.edu/tropical_ecology)

---

### Recommended Citation

Prior, Jason and Prior, Matthew, "Coprinus disseminatus data sheet : Coprinus disseminatus [images]" (2006). *Tropical Ecology Collection (Monteverde Institute)*. 26.  
[https://digitalcommons.usf.edu/tropical\\_ecology/26](https://digitalcommons.usf.edu/tropical_ecology/26)

This Text is brought to you for free and open access by the Monteverde Institute at Digital Commons @ University of South Florida. It has been accepted for inclusion in Tropical Ecology Collection (Monteverde Institute) by an authorized administrator of Digital Commons @ University of South Florida. For more information, please contact [scholarcommons@usf.edu](mailto:scholarcommons@usf.edu).

## Coprinus disseminatus Data Sheet

Date: July 15, 2006

Time: 12:25 am

Weather conditions: partly sunny, misty

Microhabitat Conditions:

Type of substrate: soil; possibly dead organic material (leaf)

Relative humidity: 65%

Canopy cover (%): 85.96%

Elevation: 1545 m

Abundance: 2

Observed growth habit: clumped

Morphological Characteristics:

Basic form: Toadstool

Shape of pileus: hemispheric

Diameter of pileus: 13 mm

Presence of stipe: yes

Shape of stipe: radicating

If no stipe, length and width of pileus: N/A

Color of mature sample: green (aqua)

Color of young sample: bright green

Shape of margin (using longitudinal section): decurved/incurved

Texture of margin: sulcate

Surface texture of pileus: ribbed

Color of Context: undetermined

Hymenium or fertile surface characteristics:

Color: green

Texture: deep straight crevices

Type of juncture with stipe (for those with lamellae): free

Space between gills: subdistant

Stipe characteristics:

Size: 50 mm

Color: white

Position: central

Presence of annulus: none

Location of annulus: N/A

Color of annulus: N/A

Presence of volva: inconclusive (possibly)

Shape of volva: oblong

Color of volva: white

Texture of volva: hairy

Color of spore print: N/A

Color of bruising: N/A

# *Coprinus disseminatus*

- **Family:** Coprinaceae
- **Collection date:** July 15, 2006
- **Collection Time:** 12:25 pm
- **Weather Conditions:** partly sunny and misty
- **Microhabitat conditions at collection site:**
  - Type of substrate: soil; possibly dead organic material (dead leaf)
  - Elevation: 1545 m
  - Observed abundance: 2
  - Observed growth habit: clumped



- **Morphological Characteristics (of collected samples):**

- Basic form: Toadstool
- Shape of pileus: hemispheric
- Diameter of pileus: 13 mm
- Surface texture of pileus: ribbed
- Presence of stipe: Yes
- Color of mature sample: aqua (mainly green; tint of blue)
- Color of young specimen: N/A
- Shape of margin (using longitudinal section): decurved/ incurved
- Texture of margin: sulcate
- **Hymenium or fertile surface characteristics:**
  - Color: green
  - Texture: gilled

