

USF Patents

---

December 2013

## Surgical needle with jam cleat

Eric Ross Henderson

Follow this and additional works at: [https://digitalcommons.usf.edu/usf\\_patents](https://digitalcommons.usf.edu/usf_patents)

---

### Recommended Citation

Henderson, Eric Ross, "Surgical needle with jam cleat" (2013). *USF Patents*. 284.  
[https://digitalcommons.usf.edu/usf\\_patents/284](https://digitalcommons.usf.edu/usf_patents/284)

This Patent is brought to you for free and open access by Digital Commons @ University of South Florida. It has been accepted for inclusion in USF Patents by an authorized administrator of Digital Commons @ University of South Florida. For more information, please contact [digitalcommons@usf.edu](mailto:digitalcommons@usf.edu).



US008617207B1

(12) **United States Patent**  
**Henderson**

(10) **Patent No.:** **US 8,617,207 B1**  
(45) **Date of Patent:** **Dec. 31, 2013**

(54) **SURGICAL NEEDLE WITH JAM CLEAT**

(56) **References Cited**

(75) Inventor: **Eric Ross Henderson**, Tampa, FL (US)

U.S. PATENT DOCUMENTS

(73) Assignee: **University of South Florida**, Tampa, FL (US)

(\*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 321 days.

1,801,691	A *	4/1931	Ripper	163/5
3,701,461	A *	10/1972	Bailly et al.	223/102
3,799,169	A *	3/1974	Beroff et al.	606/224
4,932,963	A *	6/1990	Ritter et al.	606/224
4,957,502	A *	9/1990	Takase	606/223
6,019,781	A *	2/2000	Worland	606/222
2005/0240203	A1	10/2005	Fuseri et al.	
2006/0271105	A1	11/2006	Foerster et al.	

\* cited by examiner

(21) Appl. No.: **13/107,464**

(22) Filed: **May 13, 2011**

**Related U.S. Application Data**

(60) Provisional application No. 61/334,862, filed on May 14, 2010.

*Primary Examiner* — Melanie Tyson

(74) *Attorney, Agent, or Firm* — Nilay J. Choksi; Jeremy Spier; Smith & Hopen, P.A.

(51) **Int. Cl.**  
**A61B 17/06** (2006.01)


(52) **U.S. Cl.**  
USPC ..... **606/227**

(58) **Field of Classification Search**  
USPC ..... 606/222-227  
See application file for complete search history.

(57) **ABSTRACT**

A surgical needle including a jam cleat for preventing slippage of suture. The jam cleat includes a suture engaging V-shaped tapered groove having opposing side walls that meet at a jam point.

**5 Claims, 6 Drawing Sheets**






Fig. 1 (Prior Art)




Fig. 2




Fig. 3






Fig. 4






Fig. 7



1

**SURGICAL NEEDLE WITH JAM CLEAT****CROSS REFERENCE TO RELATED APPLICATION**

This application claims priority to U.S. Prov. Pat. Appl. No. 61/334,862, entitled "FREE NEEDLE WITH JAM CLEAT," filed on May 14, 2010, the contents of which are hereby incorporated by reference.

**BACKGROUND OF THE INVENTION****1. Field of the Invention**

This invention relates to surgical needles. More specifically, it relates to a surgical needle including a jam cleat for preventing slippage of suture.

**2. Description of the Related Art**

Suture is used in all aspects of surgery, including tying off blood vessels, wound closure, and repairing injured tissue (tendons, ligaments, muscle, etc.). Suture is commonly manufactured with an attached needle that is used to pass suture through tissue. Often, however, surgeons use suture that is not pre-attached to needles. These sutures, commonly called "ties," may be used without a needle or combined with a needle that has no attached suture, commonly referred to as a free needle. Free needles may also be used to continue sewing a piece of suture that has broken or become detached.

Free needles include an opening (or eye) through which suture passes. The eye is generally oval-shaped with no mechanism to lock suture in place, allowing suture to escape with little force. This generally results in frustration for the surgeon and operative staff alike. What is needed is a quick and secure device for securing suture within the eye of a free needle. However, in view of the prior art considered as a whole at the time the present invention was made, it was not obvious to those of ordinary skill in the art how the limitations of the art could be overcome.

**SUMMARY OF THE INVENTION**

The long-standing but heretofore unfulfilled need for a quick and secure surgical needle for securing suture is now met by a new, useful, and nonobvious invention. Generally, the surgical needle is a modification of a free needle and prevents suture escape during suturing. The surgical needle enables rapid engagement and disengagement of suture by incorporating a jam cleat type mechanism.

In a first embodiment, the surgical needle includes an elongate body having a first pointed distal end and a second non-pointed proximal end defining a length. An opening (or eye) having a distal end and a proximal end is disposed at the second non-pointed proximal end of the elongate body and includes a jam cleat type mechanism.

A jam cleat is a nautical device in which a rope is pinched in a V-shaped slot. As stated above, in a first embodiment, a jam cleat type mechanism is disposed in the eye of the needle. The jam cleat squeezes suture in a V-shaped slot until it is securely wedged. The jam cleat may include a suture engaging V-shaped tapered groove having opposing side walls that meet at a jam point at the distal end of the opening. Alternatively, the jam cleat may include a suture engaging V-shaped tapered groove having opposing side walls that meet at a jam point at the proximal end of the opening. Moreover, the jam cleat may include a first suture engaging V-shaped tapered groove having opposing side walls that meet at a first jam point at the distal end of the opening and a second suture

2

engaging V-shaped tapered groove having opposing side walls that meet at a second jam point at the proximal end of the opening.

A channel may be disposed in the elongate body for providing access from an outer portion of the elongate body to the opening at the second non-pointed proximal end of the elongate body. The channel provides an alternative means of threading suture into the opening of the elongate body.

In a second embodiment, the surgical needle includes an elongate body having a first pointed distal end and a second non-pointed proximal end defining a length. A jam cleat is disposed at the second non-pointed proximal end and includes a suture engaging V-shaped tapered groove having opposing side walls that meet at a jam point. The suture engaging V-shaped tapered groove points in a direction towards the first pointed distal end of the elongate body.

In both embodiments, the jam cleat may include a cutting means for cutting suture. For example, one (or both) of the side walls of the opposing side walls may include a sharpened edge.

In both embodiments, the elongate body of the surgical needle may be linear or curved. Moreover, the elongate body may be tapered from the second non-pointed proximal end to the first pointed distal end. All prior art surgical needle configurations, however, are envisioned.

**BRIEF DESCRIPTION OF THE DRAWINGS**

For a fuller understanding of the invention, reference should be made to the following detailed description, taken in connection with the accompanying drawings, in which:

FIG. 1 is a prior art surgical needle eye;

FIG. 2 is a surgical needle with a jam cleat;

FIG. 3 is a surgical needle with a jam cleat;

FIG. 4 is a surgical needle with two jam cleats;

FIG. 5 is a surgical needle with a jam cleat and an access channel;

FIG. 6 is a surgical needle with a jam cleat and an access channel; and

FIG. 7 is a surgical needle with a jam cleat.

**DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

As depicted in FIG. 1, a prior art surgical needle 10 includes an elongate body 12 having a first pointed distal end (not shown) and a second non-pointed proximal end 14 defining a length. An opening 16 (or eye) is disposed at the second non-pointed proximal end 14 of the elongate body. The opening 16 facilitates the threading of suture and is generally oval-shaped with no mechanism to lock suture in place. This enables suture to escape with little force, causing frustration for a surgeon. The claimed invention is a surgical needle including a jam cleat for preventing slippage of suture. The surgical needle enables rapid engagement and disengagement of suture by incorporating a jam cleat type mechanism.

In an embodiment, as depicted in FIGS. 2-4, the surgical needle 18 includes an elongate body 20 having a first pointed distal end (not shown) and a second non-pointed proximal end 22 defining a length. An opening 24 (or eye) having a distal end 26 and a proximal end 28 is disposed near the second non-pointed proximal end 22 of the elongate body 20 and includes a jam cleat type mechanism 30. The jam cleat type mechanism 30 includes a suture engaging V-shaped tapered groove 32 having opposing side walls 34, 36 that meet at a jam point 38 at the distal end 26 of the opening 24. As depicted in FIG. 3, the jam cleat type mechanism 30 includes

3

a suture engaging V-shaped tapered groove **32** having opposing side walls **34, 36** that meet at a jam point **38** at the proximal end **28** of the opening **24**. As depicted in FIG. **4**, the jam cleat type mechanism **30** includes a first suture engaging V-shaped tapered groove **40** having opposing side walls **42, 44** that meet at a first jam point **46** at the distal end **26** of the opening **24** and a second suture engaging V-shaped tapered groove **48** having opposing side walls **50, 52** that meet at a second jam point **54** at the proximal end **28** of the opening **24**.

In use, suture is threaded through the opening and then funneled between the opposing side walls of the V-shaped tapered groove to the jam point where it is wedged securely in place. To disengage suture from the jam cleat, suture is pulled away from the jam point and then threaded out of the opening.

As depicted in FIGS. **5** and **6**, a channel **56** may be disposed in the elongate body **20** for providing access from an outer portion of the elongate body **20** to the opening **24** at the second non-pointed proximal end **22** of the elongate body **20**. The channel **56** provides an alternative means of threading suture into the opening **24** of the elongate body **20**. Accordingly, in use, suture is passed through the channel **56** and into the opening **24**. Suture is then directed between the opposing side walls **80, 82** of the V-shaped tapered groove **84** to the jam point **86** where it is secured to the needle **18**. To disengage suture from the jam cleat, suture is pulled away from the jam point **86** and then directed out of the opening **24** through the channel **56**.

In a second embodiment, as depicted in FIG. **7**, the surgical needle **58** includes an elongate body **60** having a first pointed distal end (not shown) and a second non-pointed proximal end **62** defining a length. A jam cleat type mechanism **61** is disposed near the second non-pointed proximal end **62** and includes a suture engaging V-shaped tapered groove **64** having opposing side walls **66, 68** that meet at a jam point **70**. The suture engaging V-shaped tapered groove **64** points in a direction towards the first pointed distal end (not shown) of the elongate body **60**. Suture is funneled between the opposing side walls **66, 68** of the V-shaped tapered groove **64** to the jam point **70** where it is wedged securely in place. To disengage suture from the jam cleat type mechanism **61**, suture is pulled away from the jam point **70**.

In all embodiments, the jam cleat may include a cutting means for cutting suture. For example, one (or both) of the side walls of the opposing side walls may include a sharpened edge. This facilitates easier disengagement of the suture from the needle by allowing a surgeon to simply pull on suture to cut it, with the remaining fragment of suture remain clenched in the jam cleat.

Moreover, the elongate body of the surgical needle may be linear or curved or include a taper from the second non-pointed proximal end to the first pointed distal end. All prior

4

art surgical needle configurations, however, are envisioned for all embodiment of the surgical needle having a jam cleat.

It will thus be seen that the objects set forth above, and those made apparent from the foregoing disclosure, are efficiently attained. Since certain changes may be made in the above construction without departing from the scope of the invention, it is intended that all matters contained in the foregoing disclosure or shown in the accompanying drawings shall be interpreted as illustrative and not in a limiting sense.

It is also to be understood that the following claims are intended to cover all of the generic and specific features of the invention herein disclosed, and all statements of the scope of the invention that, as a matter of language, might be said to fall therebetween.

What is claimed is:

1. A surgical needle for engaging a suture, comprising: an elongate body having a first pointed distal end and a second non-pointed proximal end defining a length; and a jam cleat disposed at said second non-pointed proximal end, said jam cleat including a suture engaging V-shaped tapered groove having opposing side walls that meet at a jam point, such that the suture is securely wedged between said opposing side walls into said jam point; said suture engaging V-shaped tapered groove pointing in a direction towards said first pointed distal end; said jam cleat positioned within an opening disposed at said second non-pointed proximal end of said elongate body; said jam point positioned at a distal end of said opening; and said jam cleat further including an additional suture engaging V-shaped tapered groove having opposing side walls that meet at a second jam point, said additional suture engaging V-shaped tapered groove pointing in a direction towards said second non-pointed proximal end, said second jam point positioned at a proximal end of said opening.
2. A surgical needle as in claim 1, further comprising: said elongate body being curved.
3. A surgical needle as in claim 1, further comprising: said elongate body being tapered from said second non-pointed proximal end to said first pointed distal end.
4. A surgical needle as in claim 1, further comprising: said jam point positioned at a distal end of said opening.
5. A surgical needle as in claim 1, further comprising: said jam cleat including a cutting means for cutting said suture.

\* \* \* \* \*