

January 1982

Five-year Index to the Florida Field Naturalist Volumes 6-10 1978-1982

Florida Field Naturalist

Follow this and additional works at: <https://digitalcommons.usf.edu/ffn>

Recommended Citation

Florida Field Naturalist (1982) "Five-year Index to the Florida Field Naturalist Volumes 6-10 1978-1982," *Florida Field Naturalist*: Vol. 10 : Iss. 4 , Article 14.

Available at: <https://digitalcommons.usf.edu/ffn/vol10/iss4/14>

This Review is brought to you for free and open access by the Searchable Ornithological Research Archive at Digital Commons @ University of South Florida. It has been accepted for inclusion in Florida Field Naturalist by an authorized editor of Digital Commons @ University of South Florida. For more information, please contact digitalcommons@usf.edu.

FIVE-YEAR INDEX
to the
FLORIDA FIELD NATURALIST

volumes 6-10
1978-1982

compiled by Fred E. Lohrer

PART ONE, AUTHOR INDEX

A

- Arnold, Keith A., Second Florida specimen of the Razorbill, 8: 50.
Ayers, Ann Y., Paul W. Sykes, Jr., and Wesley J. Sykes, Two more records of the Tropical Kingbird for Florida, 8: 25-26, see H. P. Langridge and.

B

- Baker, W. Wilson, Richard L. Thomson, and R. Todd Engstrom, The distribution and status of Red-cockaded Woodpecker colonies in Florida: 1969-1978, 8: 41-45.
Barber, Robert D., see Stephen A. Nesbitt and.
Bass, Oron L., Jr., see Robert P. Russell, Jr. et al.
Below, Theodore H., A Cardinal at the Dry Tortugas, Florida, 7: 31.
Below, Theodore H., and Ralph W. Schreiber, Meteorological biases in censuses of roosting Brown Pelicans in Florida, 6: 9-12.
Brown, Larry N., Fall foraging of Pileated Woodpeckers on *Magnolia grandiflora* seeds, 6: 18-19.
Bryan, Dana C., Winter breeding of the Common Gallinule in the Florida Panhandle, 9: 8-9.
Buhrman, Charles B., and Larry A. Hopkins, Eleven pelagic trips into the eastern Gulf of Mexico, 6: 30-32, Leach's Storm-Petrel sighted in the eastern Gulf of Mexico, 6: 44.

C

- Callahan, Richard, and William Carey, Great Horned Owl suspected of preying upon Snowy Egret, 7: 29.
Carey, William, see Richard Callahan and.
Carter, Robin, see Gary R. Graves and.
Cavanagh, James E., see Noel O. Wamer et al.
Christman, Steven P., Preliminary observations on the gray-throated form of *Anolis carolinensis* (Reptilia: Iguanidae), 8: 11-16.

- Clark, E. Scott, Wood Storks using White Pelicans as beaters, 6: 45-46, A Green Heron gleaning honeybees, 8: 17.
Clench, Mary H., Oliver L. Austin, Jr., elected Honorary Member of the Florida Ornithological Society, 10: 62, 64.
Coleman, Caroline H., Treasurer's report for 1979, 8: 56, Treasurer's report, 1980, 9: 50, Treasurer's report, 1981, 10: 83.
Collie, Mark R., A Sabine's Gull at the Dry Tortugas, Florida, 7: 28.
Conner, Mark C., see David S. Maehr et al.
Courser, William D., President's message, 9: 15, see George M. Dooris et al., see Manuel Lopez et al.
Crawford, Robert L., Samuel A. Grimes, First Honorary Member of the Florida Ornithological Society, 8: 32.
Cruickshank, Helen G., First Florida record of the Lazuli Bunting, 6: 20-21.

D

- Delany, Michael F., Willard P. Leenhouts, Beau Sauselein, and Herbert W. Kale II, The 1980 Dusky Seaside Sparrow Survey, 9: 64-67.
Dooris, George M., Patricia M. Dooris, and William D. Courser, The absence of hematozoa in Burrowing Owls of the Tampa Bay area, Florida, 9: 9.
Dooris, Patricia M., see George M. Dooris et al.
Duncan, Lucy R., A Band-tailed Pigeon recovery in Florida, 7: 28-29, see Robert A. Duncan and.
Duncan, Robert A., Some noteworthy changes in the bird life of northwestern Florida (1965-1979), 9: 21-27,
Duncan, Robert A., and Lucy R. Duncan, Green Heron nest site tenacity, 6: 17, A Lesser Nighthawk in northwestern Florida, 9: 33.
Dye, Robert L., Sandhill Cranes prey on amphiumas, 10: 76.

E

- Eichholz, Neal F., Osprey nest concentrations in northwest Florida, 8: 18-19.
Engstrom, R. Todd, see W. Wilson Baker et al.

F

- Fellers, Paul J., LeConte's Sparrow at Flamingo, Everglades National

- Park, 7: 32.
 Fisk, Erma J., Roof-nesting terns, skimmers, and plovers in Florida, 6: 1-8.
 Fisk, Erma J., Henry M. Stevenson, and Herbert W. Kale, II, Records of the Rufous Hummingbird in Florida, 6: 23-26.
 Fitzpatrick, John W., and Glen E. Woolfenden, Red-tailed Hawk preys on juvenile gopher tortoise, 6: 49.
 Fogarty, Michael J., Stephen A. Nesbitt, and Carter R. Gilbert, Diet of nestling Brown Pelicans in Florida, 9: 38-40.
 Francis, Thomas L., Brown Pelican found dead with adult Double-crested Cormorant in pouch, 9: 62-63.
 Freeman, Dorothy W., Yellow-throated Vireo nests found in Orange County, Florida, 6: 19-20.

G

- Genung, William G., and Reginald H. Lewis, The Black Francolin in the Everglades agricultural area, 10: 65-69.
 Gilbert, Carter R., see Michael J. Fogarty et al.
 Given, Beryl, see William B. Robertson, Jr., and.
 Godley, J. Steve, Predation and defensive behavior of the striped swamp snake (*Regina alleni*), 10: 31-36.
 Goodnight, Lyman E., see Henry M. Stevenson et al.
 Goodwin, Thomas M., Two unusual nest sites for Canada Geese in Leon County, Florida, 7: 6-7, Ring-necked Ducks breeding in a north-central Florida lake, 8: 18.
 Graves, Gary R., First sight record of Vaux's Swift in Florida, 9: 67-68.
 Graves, Gary R., Robin Carter, and Steve N. G. Howell, Northernmost record of the Mangrove Cuckoo on the Gulf coast, 10: 38-39.

H

- Harris, Barbara A., and Ann E. Jerauld, Extra-hole roosting and changes in hole use by two juvenile Red-cockaded Woodpeckers, 10: 21.
 Hennemann, Willard W., III, Notes on the food habits of the Burrowing Owl in Duval County, Florida, 8: 24-25.
 Hintermister, John, see David S. Maehr and.
 Hoffman, Wayne, William B. Robert-

- son, Jr., and Paige C. Patty, Short-eared Owl on Bush Key, Dry Tortugas, Florida, 7: 29-30.
 Hopkins, Larry A., see Charles B. Buhrman and.
 Howell, Steve N. G., see Gary R. Graves and.
 Hunter, Gloria S., see H. P. Langridge and, see Paul W. Sykes, Jr., and.

J

- Jackson, Jerome A., see Bette J. Schardien and.
 Jennings, Dawn P., see Michael L. Jennings and.
 Jennings, Michael L., and Dawn P. Jennings, Bald Eagle preys on Cattle Egret, 10: 60.
 Jerauld, Ann E., see Barbara A. Harris and.

K

- Kale, Herbert W., II, see Michael F. Delany et al., see Erma J. Fisk et al., see Richard T. Paul et al., see Richard E. Roberts and.
 Kilham, Lawrence, Dusting by Sandhill Cranes in Florida, 8: 19-20, Assemblages of Tree Swallow as information centers, 8: 26-28, Common Crows and a Florida Red-shouldered Hawk mobbing feathers on the ground, 10: 23, Common Crows pulling the tail and stealing food from a river otter, 10: 39-40, Behavior of river otters by a water hole in a drought year, 10: 60-61.
 Kilmer, Cecil M., First sighting of Varied Thrush in Florida, 6: 51.
 King, Bernard, A Forster's Tern while in flight obtaining insects from the ground, 8: 48, An unusual female Ruddy Duck in central Florida, 9: 8, American Robins and Cedar Waxwings rain-bathing under lawn sprinklers, 9: 9-10, Adult and immature Bald Eagles talon-clasping while in flight, 10: 19, American Coot and Ring-billed Gull feeding under duck droppings, 10: 80.
 Kingsbery, Curtis L., see Henry M. Stevenson et al.
 Kinsella, J. M., Alligator predation on the round-tailed muskrat, 10: 79.
 Kittleson, Barbara C., Report on the 1977 fall meeting, 6: 21-22, Report on the 1978 spring meeting, 6: 55-56, Breeding in the wild by a hand-raised Screech Owl, 7: 1-2, Report on the 1978 fall meeting, 7: 12, Report on the 1979 spring and June

- meetings, 8: 32, Report on the 1979 fall meeting, 8: 40, Report on the 1980 spring meeting, 9: 14, Report on the 1980 fall meeting, 9: 27, Summary of the 1981 spring meeting, 9: 75, Summary of the 1981 fall meeting, 10: 40, Summary of the 1982 Spring meeting, 10: 61.
- Krivet, Daniel, see Jeffrey L. Lincer et al.
- Kushlan, James A., White Pelican numbers in Everglades National Park, 6: 16-17, Wading bird use of the east Everglades, 6: 46-47, The Sandhill Crane in the Everglades, 10: 74-76.
- L
- Laird, Robert J., see Walter Kingsley Taylor and.
- Langridge, H. P., Another offshore sighting of Sabine's Gull for Florida, 7: 27, A Thick-billed Vireo sighting for Everglades National Park, 10: 22, Spin walking by a Wilson's Phalarope, 10: 76-77, see Paul W. Sykes, Jr., et al.
- Langridge, H. P., Paul W. Sykes, Jr., Ann Y. Ayers, Gloria S. Hunter, and Philip S. Weinrich, Zenaida Dove sighting in Palm Beach County, Florida, 10: 56-59.
- Langridge, Howard P., and Tadziu Trotsky, First Florida record of the Black-tailed Godwit, 9: 63.
- Layne, James N., Trends in numbers of American Kestrels on roadside counts in southcentral Florida from 1968 to 1976, 8: 1-10, Nesting, development of the young, and parental care of a pair of Florida Sandhill Cranes, 9: 51-59, Observations on wing molt of Florida Sandhill Cranes, 9: 60-61, Dry ground nests of Florida Sandhill Cranes, 10: 55-56.
- Leeds, Jerry, see Robert W. Loftin and.
- Leenhouts, Willard P., Osprey nest relocation at Merritt Island National Wildlife Refuge, Florida, 7: 7-8, see Michael F. Delany et al.
- Lewis, Reginald H., see William G. Genung and.
- Lincer, Jeffrey L., Daniel Krivet, and Jon E. Shaw, People and "panhandling" pelicans, 7: 13-18.
- Loftin, Robert W., Helen Gere Cruickshank (Mrs. Allan D. Cruickshank) elected Honorary Member of the Florida Ornithological Society, 9: 13, Diet of Black Skimmers and Royal Terns in northeastern Florida: 10: 19-20.
- Loftin, Robert W., and Jerry Leeds, Pileated Woodpecker takes Red-bellied Woodpecker nestling, 9: 41.
- Lohrer, Fred E., Florida birds in the periodical literature, 1977, 6: 53-55, Florida birds in the periodical literature, 1978, 7: 39-40, Eastern coachwhip predation on nestling Blue Jays, 8: 28-29, Florida birds in the periodical literature, 1979, 8: 52-54, Florida birds in the periodical literature, 1980, 9: 71-74, Florida birds in the periodical literature, 1981, 10: 41-44.
- Lohrer, Fred E., and Chester E. Winegarner, Swallow-tailed kite predation on nestling Mockingbird and Loggerhead Shrike, 8: 47-48.
- Lopez, Manuel, William D. Courser, and Eugene W. Schupp, Yellow-throated Vireo nests in west-central Florida, 9: 10.
- M
- Maehr, David S., Bird use of a north-central Florida phosphate mine, 9: 28-32.
- Maehr, David S., Mark C. Conner, and John Steinberg, Bird diversity and abundance in three plant communities in Putnam County, Florida, 10: 69-73.
- Maehr, David S., and John Hintermister, A possible White Ibis-Scarlet Ibis hybrid in Alachua County, Florida, 10: 78.
- Matthews, William D., Jr., see Paul W. Sykes, Jr., et al.
- Matthews, William D., Sr., see Paul W. Sykes, Jr., et al.
- Matthiesen, Diana G., and Glen E. Woolfenden, Pierce Brodkorb elected Honorary Member of the Florida Ornithological Society, 10: 63-64.
- McKittrick, Mary C., Territory size and density of Bachman's Sparrow in south central Florida, 7: 33-34.
- Menk, Gail E., Summer status of the Common Snipe in Florida 6: 49-50, An increase of Boat-tailed Grackles in Leon County, Florida, 9: 11-12, see Henry M. Stevenson and.
- Menk, Gail E., and Henry M. Stevenson, A Florida specimen of the Black-throated Sparrow, 6: 21.
- N
- Nelson, David A., see Richard T. Paul et al.

- Nesbitt, Stephen A., Sandhill Cranes in Florida flying with their legs drawn up, 6: 17-18, see Michael J. Fogarty, et al.
 Nesbitt, Stephen A., and Robert D. Barber, An albinistic Brown Pelican, 7: 6.

O

- Ogden, John C., Nesting distribution and migration of Glossy Ibis in Florida, 9: 1-6.
 Olsen, O. V., Dust-bathing by Common Flickers, 6: 18.

P

- Patty, Paige C., see Wayne Hoffman et al.
 Paul, Richard T., Pine Siskins in the Florida Keys, 7: 31-32.
 Paul, Richard T., Herbert W. Kale, II, and David A. Nelson, Reddish Egrets nesting on Florida's east coast, 7: 24-25.
 Powell, Margaret C., A Gray Catbird nest in Duval County, Florida, 6: 51.

R

- Repenning, Robert W., and John H. Wester, Hooded Merganser breeding in a north Florida phosphate mine, 6: 48.
 Richardson, Donald G., Xanthochromism in the Rose-breasted Grosbeak, 9: 11.
 Ripley, S. Dillon, Yellow-collared Macaw in Fort Lauderdale, Florida, 10: 59.
 Roberts, Richard E., and Herbert W. Kale, II, Aggression between an American Kestrel and Cattle Egret, 6: 49.
 Robertson, Henry, Evening Grosbeaks in Citrus County, Florida, 7: 11.
 Robertson, William B., Jr., and Beryl Given, Ruddy Quail Dove again at Dry Tortugas, 8: 23-24.
 Robertson, William B., Jr., see Wayne Hoffman et al., see David S. Shea et al.
 Rodgers, James A., Jr., Feeding association between Brown Pelicans and Wood Storks, 6: 44-45, Egg removal by Little Blue Heron, 6: 48, Reproductive success of three heron species on the west coast of Florida, 8: 37-40, Little Blue Heron breeding bare part coloration and plumage characteristics, 8: 46-47, Food of nestling Little Blue Herons on the

- west coast of Florida, 10: 25-30.
 Russell, Robert P., Jr., Roseate Spoonbills feed on vegetable material, 10: 18.
 Russell, Robert P., Jr., Oron L. Bass, Jr., and Paul W. Sykes, Jr., Bahama Mockingbird sighting on Elliott Key, Florida, 8: 31-32.

S

- Saunders, George B., The origin of White-winged Doves breeding in south Florida, 8: 50-51, Erratum, 9: 42.
 Sauselein, Beau, see Michael F. Delany et al.
 Schardien, Bette J., and Jerome A. Jackson, Foraging of Boat-tailed Grackles at car radiators, 6: 20.
 Schreiber, Elizabeth Anne, see Ralph W. Schreiber and.
 Schreiber, Ralph W., see Theodore H. Below and.
 Schreiber, Ralph W., and Elizabeth Anne Schreiber, Notes on measurements, mortality, molt, and gonad condition in Florida west coast Laughing Gulls, 7: 19-23, Essential habitat of the Brown Pelican in Florida, 10: 9-17.
 Schupp, Eugene W., see Manuel Lopez et al.
 Shaw, Jon E., see Jeffrey L. Lincer et al.
 Shea, David S., Ruth E. Shea, and William B. Robertson, Jr., Unusual observations of nesting Bald Eagles in south Florida, 7: 3-5, see David S. Shea et al.
 Stafford, Steven K., Inland records of Oldsquaws and Surf Scoter from north Florida, 7: 25-26.
 Stedman, Annette F., see Stanley Stedman and.
 Stedman, Stanley, and Annette Stedman, Feeding association between Bonaparte's Gulls and Red-breasted Mergansers, 7: 27, A rare gathering of Red Knots on Casey Key, Florida, 8: 20-21, Traill's Flycatcher on Florida's southwestern coast, 9: 41-42.
 Steinberg, John, see David S. Maehr et al.
 Stevenson, Henry M., Barn Swallows nesting in the interior of the Florida Panhandle, 6: 27-29, First nesting of the Caspian Tern in the Florida Panhandle, 7: 8, Southward extension of Orchard Oriole breeding range in Florida, 7: 10-11, Wintering of the Northern Waterthrush in north Florida, 7: 30-31, A spec-

- imen of the Blue-faced Booby in northwest Florida, 8: 46, Status of the Boat-tailed Grackle in the Florida Panhandle, 9: 34-37, Comments on the identification of Stoddard's Yellow-throated Warbler, 10: 37-38, see Erma J. Fisk et al., see Gail E. Menk and, see Noel O. Warner, et al.
- Stevenson, Henry M., Lyman E. Goodnight and Curtis L. Kingsbery, An early record of the Band-tailed Gull in Florida, 8: 21-23.
- Stevenson, Henry M., and Gail E. Menk, The breeding status of the Gray Catbird in Florida, 6: 13-15.
- Stevenson, James M., First Florida specimen of the Lesser Nighthawk, 6: 50.
- Sykes, Paul W., Jr., Cliff Swallows continue to nest in Florida, 7: 8-9, see H. P. Langridge and, see Robert P. Russell, Jr. et al.
- Sykes, Paul W., Jr., and Gloria S. Hunter, Bird use of flooded agricultural fields during summer and early fall and some recommendations for management, 6: 36-43.
- Sykes, Paul W., Jr., Howard P. Langridge, William D. Matthews, Sr., and William D. Matthews, Jr., Sight record of Gray-breasted Martin on the Lower Florida Keys, 7: 10.
- Sykes, Wesley J., see Ann Y. Ayers et al.
- T
- Taylor, Walter Kingsley, Scrub Jay in Osceola County, Florida, 10: 77.
- Taylor, Walter Kingsley, and Robert J. Laird, Nesting of the Summer Tanager near Oviedo, Florida, 9: 33.
- Thomson, Richard L., see W. Wilson Baker et al.
- Trotsky, Tadziu, see Howard P. Langridge and.
- W
- Walkinshaw, Lawrence H., Greater Sandhill Cranes wintering in central Florida, 10: 1-8, Observations on Limpkin nesting, 10: 45-54.
- Warner, Noel O., Henry M. Stevenson, and James E. Cavanagh, Jr., Sight records of the Arctic Tern on the Gulf coast of Florida, 8: 49.
- Webber, Thomas A., Eastern coach-whip predation on juvenile Scrub Jays, 8: 29-30.
- Weinrich, Philip S., see H. P. Langridge and.
- Wester, John H., see Robert W. Repping and.
- Williams, Lovett E., Jr., Distribution of the Turkey in Florida—1973-1977, 6: 33-35, Unwary behavior of captured and released Sandhill Cranes, 9: 7.
- Winegarner, Chester E., see Fred E. Lohrer and.
- Woodin, Crystal D., see Marc C. Woodin and.
- Woodin, Marc C., and Crystal D. Woodin, Everglade kite predation on a soft-shelled turtle, 9: 64.
- Woolfenden, Glen E., Winter breeding by the American Coot at Tampa, Florida, 7: 26, see John W. Fitzpatrick and, see Diana G. Matthiesen and.

PART TWO, LOCALITY INDEX

G

A

- Alachua Co., 6: 17-18, 34, 49; 8: 18, 42-43; 10: 32, 38, 60, 78, 79.
 Apalachicola National Forest, 8: 42, 44.
 Archhold Biological Station, 6: 19, 49; 7: 33; 10: 40.
 Avon Park Bombing Range, 8: 44.

B

- Baker Co., 6: 34; 8: 42-43.
 Bay Co., 6: 14, 34, 8: 42-43; 9: 35, 62; 10: 37.
 Big Cypress National Preserve, 8: 44; 10: 74-76.
 Blackwater State Forest, 8: 42, 44.
 Bradford Co., 6: 34; 8: 42-43.
 Brevard Co., 6: 2, 20, 34, 45; 7: 7-8, 24; 8: 17, 42-43, 48; 9: 2, 3, 9, 63, 64-67.
 Broward Co., 6: 2-3, 4, 34; 9: 2, 3; 10: 59.

C

- Calhoun Co., 6: 34.
 Camp Blanding, 8: 42, 44.
 Carey State Forest, 8: 44.
 Charlotte Co., 6: 34; 8: 42-43; 10: 21.
 Citrus Co., 6: 34; 7: 10, 11, 8: 42-43; 9: 9.
 Clay Co., 6: 34; 8: 42-43.
 Collier Co., 6: 9-12, 34; 8: 42-43.
 Collier-Seminole State Park, 8: 44.
 Columbia Co., 6: 34; 8: 42-43.
 Corbett Wildlife Management Area, 8: 44.

D

- Dade Co., 6: 3-4, 5, 23, 34, 46-47; 7: 5, 32; 8: 31, 50-51; 9: 2, 3, 64; 10: 18, 74-76.
 DeSoto Co., 6: 34; 10: 2, 3, 7, 55.
 Dixie Co., 6: 34.
 Dry Tortugas, 7: 28, 29-30, 31; 8: 23-24, 25.
 Duval Co., 6: 1-2, 14, 34, 51; 8: 24-25, 42-43; 9: 33, 41; 10: 19-20.

E

- Eglin Air Force Base, 8: 42, 44; 9: 23.
 Escambia Co., 6: 4, 34; 8: 21; 9: 11, 21-26, 33; 10: 37.
 Everglades National Park, 6: 16; 7: 3-5, 32; 10: 18, 22, 74-76.

F

- Flagler Co., 6: 34.
 Franklin Co., 6: 13, 34, 50; 7: 8, 30; 8: 42-43, 46, 49; 9: 33, 34; 10: 38.

- Gadsden Co., 6: 34.
 Georgia, McIntosh Co., 8: 27.
 Gilchrist Co., 6: 34.
 Glades Co., 6: 34; 8: 42-43; 9: 60, 10: 31-33.
 Gulf Co., 6: 34; 8: 18-19, 42; 9: 34.
 Gulf Islands National Seashore, 9: 33.
 Gulf of Mexico, 6: 30-32, 44.

H

- Hamilton Co., 6: 34, 48; 7: 25; 9: 28-30.
 Hardee Co., 6: 34.
 Hendry Co., 6: 34.
 Hernando Co., 6: 34; 8: 42-43.
 Highlands Co., 6: 19, 34, 49; 7: 33; 8: 1-10, 19-20, 27, 28, 29-30, 42-43, 47-48; 9: 2, 51, 60; 10: 2-4, 6-7, 23, 32, 33, 39, 55, 60, 65.
 Hillsborough Co., 6: 18-19, 34, 48; 7: 1, 26; 8: 37-40, 46; 9: 2, 9; 10: 25-30.
 Holmes Co., 6: 34; 7: 28; 8: 42-43.

I

- Indian River Co., 6: 34; 7: 24; 8: 42-43.

J

- Jackson Co., 6: 15, 27, 43.
 Jefferson Co., 6: 43; 8: 42-43.
 Jonathan Dickinson State Park, 8: 44.

K

- Kennedy Space Center, 8: 17.
 Key Biscayne National Monument, 8: 31.
 Key Deer National Wildlife Refuge, 7: 10.

L

- Lafayette Co., 6: 34.
 Lake Co., 6: 34; 8: 42-43.
 Lee Co., 6: 34; 9: 2.
 Leon Co., 6: 14, 21, 34, 50; 7: 6-7, 30; 8: 42-43; 9: 11-12, 67-68; 10: 38.
 Levy Co., 6: 34; 7: 11; 8: 42-43; 10: 38.
 Liberty Co., 6: 34; 8: 42-43.

M

- Madison Co., 6: 34; 8: 42-43.
 Manatee Co., 6: 34, 44.
 Marion Co., 6: 34; 8: 42-43; 10: 60.
 Martin Co., 6: 2, 34; 7: 8-9; 8: 42-43.
 Merritt Island National Wildlife Refuge, 6: 45; 7: 7-8, 24, 63; 9: 63, 64-67.

Monroe Co., 6: 34; 7: 3-5, 10, 28, 32;
8: 1-2, 5-7, 23-24, 25; 9: 3-5; 10:
22, 57, 74-76.
Myakka River State Park, 10: 76.

N

Nassau Co., 6: 34; 8: 42-43.

O

Ocala National Forest, 8: 42, 44.
Ochlockonee River State Park, 8: 44.
Okaloosa Co., 6: 34; 8: 42-43; 9: 21-
26, 35.
Okeechobee Co., 6: 34; 10: 47, 48, 50,
55.
Orange Co., 6: 4, 19-20, 34; 8: 42-43;
9: 8; 10: 32, 33, 80.
Osceola Co., 6: 34; 8: 42-43; 10: 3-5,
7, 77.
Osceola National Forest, 8: 42, 44.

P

Palm Beach Co., 6: 2, 36-42, 34, 51;
7: 27; 8: 25, 42-43; 10: 56-57, 65-68,
76.
Pasco Co., 6: 30, 34; 7: 29; 9: 10.
Paynes Prairie State Preserve, 6: 49;
10: 78, 79.
Pinellas Co., 6: 4, 30-32, 34, 44; 7:
19-23; 10: 9-17.
Polk Co., 6: 34; 7: 1-2; 8: 42-43; 9: 2;
10: 3-7, 45-54.
Prairie Lakes State Preserve, 8: 44.
Putnam Co., 6: 34, 8: 42-43; 10: 69-73.

S

Santa Rosa Co., 6: 17, 34; 8: 42, 50;
9: 21-26, 35.

Santa Rosa Island, 8: 50.
Sapelo Island, 8: 27.
Sarasota Co., 6: 4, 34; 7: 13-18, 27; 8:
20-21, 42; 9: 2, 41; 10: 32, 76.
Seminole Co., 6: 34; 9: 33, 10: 19.
St. Andrews State Recreation Area,
9: 62.
St. George Island, 6: 13, 50; 7: 30; 8:
49.
St. Johns Co., 6: 34; 8: 42-43.
St. Lucie Co., 6: 2, 5, 18, 34, 49.
St. Marks National Wildlife Refuge,
8: 44.
Sumter Co., 6: 34.
Suwanee Co., 6: 34.

T

Tampa Bay, 10: 25-30.
Taylor Co., 6: 34.
Three Lakes Ranch Wildlife Manage-
ment Area, 8: 44.
Tosohatchee State Preserve, 8: 44.

U

Union Co., 6: 34.

V

Volusia Co., 6: 34; 7: 6; 8: 42-43.

W

Wakulla Co., 6: 34; 8: 42-43; 9: 8.
Walton Co., 6: 34, 8: 42-43; 9: 35; 10:
37.
Washington Co., 6: 34; 10: 37.
Webb Wildlife Management Area, 8:
44, 10: 21.
Welaka Center for Education and Re-
search, 10: 69.
Withlacoochee State Forest, 8: 44.

PART THREE, SPECIES INDEX

- A
- Actitis macularia*, 6: 39.
Aechmophorus occidentalis, 9: 22.
Agelaius phoeniceus, 6: 37; 9: 30.
Aimophila aestivalis, 7: 33-34.
Aix sponsa, 9: 30.
Ajaja ajaja, 6: 38, 47; 10: 18.
Alca torda, 8: 50; 9: 24, 26.
alligator, 10: 79.
Alligator mississippiensis, 10: 79.
Ammospiza leconteii, 7: 32.
maritima, 10: 74.
m. nigrescens, 9: 64-67.
Amphispiza bilineata, 6: 21.
amphiuma, two-toed, 10: 76.
Amphiuma means, 10: 76.
Anas clypeata, 6: 38.
crecca, 6: 38.
discors, 6: 31, 38; 9: 30.
fulvigula, 6: 37, 38, 41.
platyrhynchos, 9: 30.
sp., 6: 31.
Anhinga, 6: 38.
Anhinga anhinga, 6: 38.
Ani, Groove-billed, 9: 24, 26.
Anolis carolinensis, 8: 11-16.
sagrei, 8: 15.
anole, brown, 8: 15.
green, 8: 11-16.
Anser albifrons, 9: 30.
Aphelocoma coerulescens, 8: 28, 29-30;
10: 77.
Aphriza virgata, 9: 23, 26.
Aquila chrysaetos, 9: 23.
Ara auricollis, 10: 59-60.
Aramus guarauna, 10: 45-54.
Archilochus colubris, 6: 23.
Ardea herodias, 6: 38, 47; 7: 24; 10:
32.
(*occidentalis*) *herodias*, 6: 38, 47.
Arenaria interpres, 6: 31, 39, 40.
Asio flammeus, 7: 29-30; 9: 30.
Athene cunicularia, 8: 24-25; 9: 9, 25.
Avocet, American, 6: 39; 9: 24, 26, 27,
30.
Aythya collaris, 8: 18.
- B
- Bartramia longicauda*, 6: 39.
Bittern, American, 6: 47.
Least, 6: 38.
Blackbird, Red-winged, 6: 37, 9: 30.
Yellow-headed, 9: 26, 33.
Bombicilla cedrorum, 9: 9-10.
Booby, Blue-faced, 6: 31; 8: 46; 9: 22.
Botaurus lentiginosus, 6: 47.
Bryanta canadensis, 7: 6-7; 9: 30.
Bubo virginianus, 7: 29.
Bubuleus ibis, 6: 31, 38, 49; 7: 24; 9:
29; 10: 60.
- Bunting, Indigo, 6: 20.
Lark, 9: 26.
Lazuli, 6: 20-21.
Painted, 6: 20.
Snow, 9: 26.
Buteo lagopus, 9: 23.
lineatus, 9: 23, 30, 57; 10: 23.
jamaicensis, 6: 49; 9: 30.
Butorides striatus, 6: 17, 38, 47; 7:
24; 8: 17.
- C
- Calamospiza melanocorys*, 9: 26.
Calcarius lapponicus, 9: 26.
Calidris canutus, 8: 20-21.
fuscicollis, 6: 39.
maritima, 9: 24, 26.
mauri, 6: 39.
melanotos, 6: 37, 39.
minutilla, 6: 37, 39, 40.
pusillus, 6: 37, 39.
sp., 6: 39.
Capella gallinago, 6: 49.
Cardinal, 7: 31; 10: 70.
Cardinalis cardinalis, 7: 31; 10: 70.
Carduelis pinus, 7: 31-32.
Carina moschata, 10: 80.
Casmerodius albus, 6: 37, 38, 47; 7:
24; 9: 29; 10: 32.
Catoptrophorus semipalmatus, 6: 39,
40.
Catbird, Gray, 6: 13-15, 51.
catfish, walking, 10: 39, 60.
Chaetura pelagica, 9: 68.
vauxi, 9: 67-68.
Charadrius semipalmatus, 6: 39.
vociferus, 6: 37, 39, 41.
wilsonia, 6: 4.
Chen caerulescens, 9: 30.
Chlidonias niger, 6: 31, 39; 9: 30.
Chordeiles acutipennis, 6: 50; 9: 33.
Circus cyaneus, 8: 30; 9: 30.
Cistothorus platensis, 9: 30.
Clangula hyemalis, 7: 25-26; 9: 23, 26,
30.
Clarias batrachus, 10: 39, 60.
coachwhip, eastern, 8: 28, 29-30.
Coccyzus minor, 10: 38-39.
Colaptes auratus, 6: 18.
Columba fasciata, 7: 28-29.
Columbina passerina, 9: 24; 10: 70.
Coot, American, 6: 31, 37, 38, 41; 7:
26; 9: 30; 10: 80.
Cormorant, Double-crested, 6: 31, 38;
7: 24; 9: 29, 62.
Great, 9: 23, 26.
Corvus brachyrhynchos, 10: 39.
ossifragus, 6: 1, 3; 10: 70.
Coturnicops noveboracensis, 9: 23.
Crane, Sandhill, 6: 17-18; 8: 19-20;
9: 7, 23, 30, 51-59, 60-61; 10: 1-8,
55-56, 74-76, 76.

crayfish, 10: 33, 34.
Crotophaga sulcirostris, 9: 24, 26.
 Crow, Common, 10: 39.
 Fish, 6: 1, 3; 10: 38-39.
 Cuckoo, Mangrove, 10: 39-39.
Cyanocitta cristata, 8: 28; 10: 70.

D

Dendrocygna bicolor, 6: 37, 38, 41; 9: 23, 26.
Dendroica coronata, 6: 32.
dominica, 10: 37-38.
nigrescens, 9: 25.
petechia, 6: 32.
pinus, 10: 70.
tigrina, 6: 32.
Dichromanassa rufescens, 7: 24-25; 9: 23, 26, 27.
 Dove, Ground, 9: 24; 10: 70.
 Ruddy Quail, 8: 23-24.
 White-winged, 8: 50-51; 9: 24.
Zenaida, 10: 56-58.
 Dowitcher, Long-billed, 6: 39.
 Short-billed, 6: 39.
 sp., 9: 30.
Dryocopus pileatus, 6: 18-19; 9: 41; 10: 70.
 Duck, Mottled, 6: 37, 38, 44.
 Muscovy, 10: 80.
 Ring-necked, 8: 18.
 Ruddy, 6: 38; 9: 8, 30.
 Wood, 9: 30.
 sp., 6: 31.
Dumetella carolinensis, 6: 13-15, 51.

E

Eagle, Bald, 7: 3-5; 9: 30; 10: 19, 60.
 Golden, 9: 23.
 Egret, Cattle, 6: 31, 38, 49; 7: 24; 9: 29; 10: 60.
 Great, 6: 37, 38, 47; 7: 24; 9: 29; 10: 32.
 Reddish, 7: 24-25; 9: 23, 26, 27.
 Snowy, 6: 37, 38, 47; 7: 24, 29; 8: 37-39; 9: 29, 57.
Egretta thula, 6: 37, 38, 47; 7: 24, 29; 8: 37-39; 9: 29, 57.
 Eider, King, 9: 23, 26.
Elanoides forficatus, 8: 47-48.
Empidonax alnorum, 9: 41-43.
flaviventris, 9: 41.
minimus, 9: 41.
traillii, 9: 41-43.
virescens, 9: 41.
Eudocimus albus, 6: 38, 47; 7: 24; 8: 37; 9: 29, 57; 10: 78.
ruber, 10: 78.

F

Falco peregrinus, 9: 30.
sparverius, 6: 49; 8: 1-10; 9: 30.

Falcon, Peregrine, 9: 30.
 Flycatcher, Acadian, 9: 41.
 Ash-throated, 9: 25.
 Great Crested, 10: 70.
 Least, 9: 41.
 Olive-sided, 9: 25.
 Scissor-tailed, 9: 33.
 Traill's, 9: 41-43.
 Vermilion, 9: 25.
 Yellow-bellied, 9: 41.
 Flicker, Common, 6: 18.
Florida caerulea, 6: 31, 38, 47, 48; 7: 24; 8: 46-47; 10: 25-29.
 Francolin, Black, 10: 65-68.
Francolinus francolinus asiae, 10: 65-68.
Fregata magnificens, 6: 31.
 Frigatebird, Magnificent, 6: 31.
Fulica americana, 6: 31, 37, 38, 41; 7: 26; 9: 30; 10: 80.

G

Gallinule, Common, 6: 38, 41; 7: 26; 9: 8, 23, 26.
 Purple, 6: 38, 41; 9: 23.
Gallinula chloropus, 6: 38, 41; 7: 26; 9: 8, 23, 26.
 Gannet, 6: 31.
Gavia immer, 6: 30; 9: 29.
stellata, 9: 22.
Gelochelidon nilotica, 6: 39, 41; 9: 30.
Geotrygon montana, 8: 23-24.
 Godwit, Black-tailed, 9: 63.
 Goose, Blue, 9: 30.
 Canada, 7: 6-7; 9: 30.
 Snow, 9: 30.
 White-fronted, 9: 30.
Gopherus polyphemus, 6: 49.
 Grackle, Boat-tailed, 6: 20, 37; 9: 11-12, 34-37.
 Grebe, Eared, 9: 22.
 Horned, 9: 29.
 Pied-billed, 6: 38, 41.
 Red-necked, 9: 22, 26.
 Western, 9: 22.
 Grosbeak, Black-headed, 9: 26.
 Evening, 7: 11; 9: 26.
 Rose-breasted, 9: 11.
Grus canadensis, 6: 17-18; 8: 19-20; 9: 7, 23, 30, 51-59, 60-61; 10: 1-8, 55-56, 74-76, 76.
 Gull, Band-tailed, 8: 21-23; 9: 24, 26.
 Bonaparte's, 6: 31; 7: 27; 9: 30.
 Great Black-backed, 9: 24, 25, 26.
 Herring, 6: 31.
 Laughing, 6: 31, 39; 7: 19-23; 9: 30.
 Ring-billed, 6: 39; 10: 80.
 Sabine's, 7: 27, 28.

H

Haliaeetus leucocephalus, 7: 3-5; 9: 30; 10: 19, 60.

Hawk, Marsh, 8: 30; 9: 30.
 Red-shouldered, 9: 23, 30, 57; 10: 23.
 Red-tailed, 6: 49; 9: 30.
 Rough-legged, 9: 23.
 Heron, Great Blue, 6: 38, 47; 7: 24;
 10: 32.
 Great White, 6: 38, 47.
 Green, 6: 17, 38, 47; 7: 24; 8: 17.
 Little Blue, 6: 31, 38, 47, 48; 7: 24;
 8: 46-47; 10: 25-29.
 Louisiana, 6: 31, 38, 47; 7: 24; 8:
 37-39; 9: 29.
Hesperiphona vespertina, 7: 11; 9: 26.
Himantopus mexicanus, 6: 37, 39; 9:
 30.
Hirundo rustica, 6: 27-29, 31, 37.
 Hummingbird, Ruby-throated, 6: 23.
 Rufous, 6: 23-24.
Hydranassa tricolor, 6: 31, 38, 47; 7:
 24; 8: 37-39; 9: 29.
 Hydrobatidae sp., 6: 31.

I

Ibis, Glossy, 6: 38, 47; 7: 24; 8: 37; 9:
 1-5.
 Scarlet, 10: 78.
 White, 6: 38, 47; 7: 24; 8: 37; 9:
 29, 57; 10: 78.
Icterus spurius, 7: 10-11.
Iridoprocne bicolor, 6: 37; 8: 26-27.
Izobrychus exilis, 6: 38.
Ixoreus naevius, 6: 51.

J

Jaeger, Parasitic, 6: 31; 9: 24.
 Pomarine, 6: 31; 9: 24.
 sp., 6: 31.
 Jay, Blue, 8: 28; 10: 70.
 Scrub, 8: 28, 29-30; 10: 77.

K

Kestrel, American, 6: 49; 8: 1-10; 9:
 30.
 Killdeer, 6: 37, 39, 41.
 Kingbird, Tropical, 8: 25-26; 9: 25, 26.
 Kingfisher, Belted, 6: 37.
 Kite, Everglade, 9: 64.
 Swallow-tailed, 8: 47-48.
 Kittiwake, Black-legged, 9: 24.
 Knot, Red, 8: 20-21.

L

Lampropeltis getulus, 10: 33.
Lanius ludovicianus, 6: 2; 8: 47.
Larus argentatus, 6: 31.
atricilla, 6: 31, 39; 7: 19-23; 9: 30.
belcheri, 8: 21-23; 9: 24, 26.
delawarensis, 6: 39; 10: 80.
marinus, 9: 24, 25, 26.
philadelphia, 6: 31; 7: 27; 9: 30.

Limnodromus griseus, 6: 39.
scolopaceus, 6: 39.
 sp., 9: 30.
Limosa limosa, 9: 63.
 Limpkin, 10: 45-54.
Lobipes lobatus, 9: 24, 26.
 sp., 6: 31.
 Longspur, Lapland, 9: 26.
 Loon, Common, 6: 30; 9: 29.
 Red-throated, 9: 22.
Lophodytes cucullatus, 6: 48.
Lutra canadensis, 10: 32, 39, 60-61.

M

Macaw, Yellow-collared, 10: 59-60.
 Mallard, 9: 30.
 Martin, Gray-breasted, 7: 10.
 Purple, 6: 32.
Masticophis flagellum, 8: 28, 29-30.
Megaceryle alcyon, 6: 37.
Melanerpes carolinus, 9: 41; 10: 70.
erythrocephalus, 6: 31, 10: 70.
Melanitta perspicillatus, 7: 25-26; 9:
 30.
Meleagris gallopavo, 6: 33-35; 10: 23.
Melospiza lincolni, 9: 33.
 Merganser, Common, 9: 23, 26.
 Hooded, 6: 48.
 Red-breasted, 6: 31; 7: 27.
Mergus merganser, 9: 23, 26.
serrator, 6: 31; 7: 27.
Micropalama himantopus, 6: 37, 39.
Mimus gundlachi, 8: 31-32.
polyglottos, 8: 47.
 Mockingbird, 8: 47.
 Bahama, 8: 31-32.
Morus bassanus, 6: 31.
Muscivora forficata, 9: 33.
 muskrat, round-tailed, 10: 79.
Mycteria americana, 6: 37, 38, 44, 45,
 47; 9: 30.
Myiarchus cinerascens, 9: 25.
crintus, 10: 70.

N

Neofiber alleni, 10: 79.
 Night Heron, Black-crowned, 6: 38,
 47; 7: 24; 9: 29.
 Yellow-crowned, 6: 38; 7: 24; 8:
 37-39.
 Nighthawk, Lesser, 6: 50; 9: 33.
Nuttallornis borealis, 9: 25.
Nycticorax nycticorax, 6: 38, 47; 7:
 24; 9: 29.
violaceae, 6: 38; 7: 24; 8: 37-39.

O

Oceanites oceanicus, 6: 31, 44.
Oceanodroma castro, 9: 22, 26.
leucorhoa, 6: 30, 44.
 Oldsquaw, 7: 25-26; 9: 23, 26, 30.

Olor columbianus, 9: 30.
Oporornis agilis, 9: 25, 26.
philadelphia, 9: 25.
Oreoscoptes montanus, 9: 25, 26.
 Oriole, Orchard, 7: 10-11.
 Osprey, 6: 38; 7: 7-8; 8: 18-19; 9: 30;
 10: 70.
 otter, river, 10: 32, 39, 60-61.
Otus asio, 7: 1-2.
 Owl, Barn, 9: 25, 26.
 Burrowing, 8: 24-25; 9: 9, 25.
 Great Horned, 7: 29.
 Screech, 7: 1-2.
 Short-eared, 7: 29-30; 9: 30.
Oxyura jamaicensis, 6: 38; 9: 8, 30.

P

Pandion haliaetus, 6: 38; 7: 7-8; 8:
 18-19; 9: 30; 10: 70.
Parula americana, 10: 70.
Parus bicolor, 10: 70.
Passerculus sandwichensis, 6: 21.
Passerina amoena, 6: 20-21.
ciris, 6: 20.
cyanea, 6: 20.
 peep spp., 6: 39.
Pelecanus erythrorhynchos, 6: 16, 38,
 45; 9: 29.
occidentalis, 6: 9-12, 44; 7: 6, 13-18,
 24; 9: 38-40, 62-63; 10: 9-17.
 Pelican, Brown, 6: 9-12, 44; 7: 6, 13-
 18, 24; 9: 38-40, 62-63; 10: 9-17.
 White, 6: 16, 38, 45; 9: 29.
Petrochelidon pyrrhonota, 7: 8-9.
 Phalarope, Northern, 9: 24, 26.
 Wilson's, 6: 39; 9: 24; 10: 76-77.
 sp., 6: 31.
Phalaropus sp., 6: 31.
Phalacrocorax auritus, 6: 31, 38; 7:
 24; 9: 29, 62.
carbo, 9: 23, 26.
Pheucticus ludovicianus, 9: 11.
melanocephalus, 9: 26.
Philomachus pugnax, 6: 39, 40.
Picoides borealis, 8: 41-44; 10: 21.
pubescens, 9: 30.
 Pigeon, Band-tailed, 7: 28-29.
Pipilo erythrophthalmus, 10: 70.
Piranga rubra, 9: 33.
Plectrophenax nivalis, 9: 26.
Plegadis falcinellus, 6: 38, 47; 7: 24;
 8: 37; 9: 1-5.
 Plover, Black-bellied, 6: 39.
 Semipalmated, 6: 39.
 Wilson's, 6: 4.
Pluvialis squatarola, 6: 39.
Podiceps auritus, 9: 29.
grisegena, 9: 22, 26.
nigricollis, 9: 22.
Podilymbus podiceps, 6: 38, 41.
Poocetes gramineus, 6: 21.
Porphyrula martinica, 6: 38, 41; 9: 23.

Porzana carolina, 9: 30.
Procamburus fallax, 10: 34.
 spp., 10: 33.
Procyon lotor, 10: 32, 52.
Progne chalybea, 7: 10.
subis, 6: 32.
Puffinus diomedea, 6: 30; 9: 22, 26.
gravis, 6: 30; 9: 22, 26.
griseus, 9: 22.
herminieri, 6: 30.
 sp., 6: 30.
Pyrocephalus rubinus, 9: 25.

Q

Quiscalus major, 6: 20, 37; 9: 11-12,
 34-37.

R

raccoon, 10: 32, 52.
 Rail, King, 6: 38, 41; 9: 23, 26, 30.
 Yellow, 9: 23.
 Virginia, 9: 30.
Rallus elegans, 6: 38, 41; 9: 23, 26, 30.
limicola, 9: 30.
 Razorbill, 8: 50; 9: 24, 26.
Recurvirostra americana, 6: 39; 9: 24,
 26, 27, 30.
Regina alleni, 10: 31-35, 76.
Riparia riparia, 6: 37.
Rissa tridactyla, 9: 24.
 Robin, American, 9: 9-10.
Rostrhamus sociabilis, 9: 64.
 Ruff, 6: 39, 40.
Rynchops nigra, 6: 4-5, 39; 7: 8; 10:
 19-20.

S

Sandpiper, Buff-breasted, 9: 24.
 Least, 6: 37, 39, 40.
 Pectoral, 6: 37, 39.
 Purple, 9: 24, 26.
 Semipalmated, 6: 37, 39.
 Solitary, 6: 31, 39.
 Spotted, 6: 39.
 Stilt, 6: 37, 39.
 Upland, 6: 39.
 Western, 6: 39.
 White-rumped, 6: 39.
 spp., 6: 39.
 Scoter, Surf, 7: 25-26; 9: 30.
Seiurus motacilla, 9: 30.
novboracensis, 7: 30.
Selasphorus rufus, 6: 23, 24.
Seminatrix pygæa, 10: 33.
 Shearwater, Audubon's, 6: 30.
 Cory's, 6: 30; 9: 22, 26.
 Greater, 6: 30; 9: 22, 26.
 Sooty, 9: 22.
 sp., 6: 30.
 Shoveler, Northern, 6: 38.
 Shrike, Loggerhead, 6: 2; 8: 47.

- siren, greater, 10: 33.
Siren lacertina, 10: 33.
 Siskin, Pine, 7: 31-32.
 Skimmer, Black, 6: 4-5, 39; 7: 8; 10: 19-20.
 snake, black swamp, 10: 33.
 king, 32: 33.
 striped swamp, 10: 31-35, 76.
 Snipe, Common, 6: 49.
Somateria spectabilis, 9: 23, 26.
 Sora, 9: 30.
 Sparrow, Bachman's, 7: 33-34.
 Black-throated, 6: 21.
 Cape Sable, 10: 74.
 Clay-colored, 9: 26.
 Dusky Seaside, 9: 64-67.
 Harris', 9: 26.
 LeConte's, 7: 32.
 Lincoln's, 9: 33.
 Savannah, 6: 21.
 Vesper, 6: 21.
Spizella pallida, 9: 26.
 Spoonbill, Roseate, 6: 38, 47; 10: 18.
 Starling, 6: 32.
Steganopus tricolor, 6: 39; 9: 24; 10: 76-77.
Stercorarius parasiticus, 6: 31; 9: 24.
 pomarinus, 6: 31; 9: 24.
 sp., 6: 31.
Sterna albigrons, 6: 1-8, 31, 39; 7: 8; 9: 30.
 anaethetus, 6: 31.
 caspia, 6: 39; 7: 8; 9: 30.
 dougallii, 6: 4.
 forsteri, 6: 31, 39; 8: 48.
 fuscata, 6: 31.
 hirundo, 6: 4, 31.
 maxima, 6: 31; 10: 19-20.
 paradiseaea, 8: 49.
 Stilt, Black-necked, 6: 37, 39; 9: 30.
 Stork, Wood, 6: 37, 38, 44, 45, 47; 9: 30.
 Storm-Petrel, Harcourt's, 9: 22, 26.
 Leach's, 6: 30, 44.
 Wilson's, 6: 31, 44.
 sp., 6: 31.
Sturnus vulgaris, 6: 32.
Sula dactylatra, 6: 31; 8: 46; 9: 22.
 Surfbird, 9: 23, 26.
 Swallow, Bank, 6: 37.
 Barn, 6: 27-29, 31, 37.
 Cliff, 7: 8-9.
 Tree, 6: 37; 8: 26-27.
 Swan, Whistling, 9: 30.
 Swift, Chimney, 9: 68.
 Vaux's, 9: 67-68.
- T
- Tanager, Summer, 9: 33.
 Teal, Blue-winged, 6: 31, 38; 9: 30.
 Green-winged, 6: 38.
 Tern, Arctic, 8: 49.
 Black, 6: 31, 39; 9: 30.
 Bridled, 6: 31.
 Caspian, 6: 39; 7: 8; 9: 30.
 Common, 6: 4, 31.
 Forster's, 6: 31, 39; 8: 48.
 Gull-billed, 6: 39, 41; 9: 30.
 Least, 6: 1-8, 31, 39; 7: 8; 9: 30.
 Roseate, 6: 4.
 Royal, 6: 31; 10: 19-20.
 Sooty, 6: 31.
 Thrasher, Brown, 10: 70.
 Sage, 9: 25, 26.
 Thrush, Varied, 6: 51.
Thryothorus ludovicianus, 10: 70.
 Titmouse, Tufted, 10: 70.
 tortoise, gopher, 6: 49.
 Towhee, Rufous-sided, 10: 70.
Toxostoma rufum, 10: 70.
Tringa flavipes, 6: 37, 39, 40, 43.
 melanoleuca, 6: 39.
 solitaria, 6: 31, 39.
Trionyx ferox, 9: 64.
Tryngites subruficollis, 9: 24.
Turdus migratorius, 9: 9-10.
 Turkey, 6: 33-35; 10: 23.
 Turnstone, Ruddy, 6: 31, 39, 40.
 turtle, soft-shelled, 9: 64.
Tyrannus melancholicus, 8: 25-26; 9: 25, 26.
Tyto alba, 9: 25, 26.
- V
- Vireo, Black-whiskered, 9: 25, 26.
 Thick-billed, 10: 22.
 White-eyed, 10: 22.
 Yellow-throated, 6: 19-20; 9: 10.
Vireo altiloquus, 9: 25, 26.
 crassirostris, 10: 22.
 flavifrons, 6: 19-20; 9: 10.
 griseus, 10: 22.
- W
- Warbler, Black-throated Gray, 9: 25.
 Cape May, 6: 32.
 Connecticut, 9: 25, 26.
 Mourning, 9: 25.
 Parula, 10: 70.
 Pine, 10: 70.
 Yellow, 6: 32.
 Yellow-rumped, 6: 32.
 Yellow-throated, 10: 37-38.
 Waterthrush, Louisiana, 9: 30.
 Northern, 7: 30.
 Waxwing, Cedar, 9: 9-10.
 Whistling-Duck, Fulvous, 6: 37, 38, 41; 9: 23, 26.
 Willet, 6: 39, 40.
 Woodpecker, Downy, 9: 30.
 Pileated, 6: 18-19; 9: 41; 10: 70.
 Red-bellied, 9: 41; 10: 70.
 Red-cockaded, 8: 41-44; 10: 21.

Red-headed, 6: 31; 10: 70.
Wren, Carolina, 10: 70.
Short-billed Marsh, 9: 30.

X

Xanthocephalus xanthocephalus, 9: 26,
33.
Xema sabinii, 7: 27, 28.

Y

Yellowlegs, Greater, 6: 39.
Lesser, 6: 37, 39, 40, 43.

Z

Zenaida asiatica, 8: 50-51; 9: 24.
aurita, 10: 56-58.
Zonotrichia querula, 9: 26.