
January 1990

Field Observations

Field Observations Committee

Follow this and additional works at: <https://digitalcommons.usf.edu/ffn>

Recommended Citation

Field Observations Committee (1990) "Field Observations," *Florida Field Naturalist*. Vol. 18 : Iss. 4 , Article 7.

Available at: <https://digitalcommons.usf.edu/ffn/vol18/iss4/7>

This Note is brought to you for free and open access by Digital Commons @ University of South Florida. It has been accepted for inclusion in Florida Field Naturalist by an authorized editor of Digital Commons @ University of South Florida. For more information, please contact digitalcommons@usf.edu.

Florida Field Naturalist 18(4): 91-96, 1990.

FIELD OBSERVATIONS

Prepared by the Field Observations Committee

LINDA COOPER, JIM COX (compiler, Florida Game and Fresh Water Fish Commission, 620 S. Meridian St., Tallahassee, Florida 32399-1600), DAVID GOODWIN, BRUCE NEVILLE, AND PEGGY POWELL.

The sightings reported here are largely unsubstantiated field observations that have not been reviewed by the FOS Records Committee. As such, the observations should be considered tentative pending a more formal review. We encourage observers to submit appropriate records to the Records Committee c/o Jocie Baker (Secretary), 851 N. Surf Road., #302, Hollywood, FL 33019.

Several conventions have been adopted to save space, A 3-character set of alpha-numeric initials is used to identify contributors within the accounts of individual species. A complete list of observers and corresponding initials is provided at the end. The list of observers is organized alpha-numerically using the 3-character initials. Names of observers for this report are drawn from a master list, and this procedure may result in occasional gaps in the alpha-numeric sequence (e.g., the listing of LA2 without a previous LA1).

Another convention adopted is the use of common names exclusively. Persons interested in scientific names should consult A.O.U. (1983. Checklist of the North American Birds, 6th ed. Lawrence, Kansas: Allen Press, Inc.) and revisions as published in the *Auk*. Other uncommon abbreviations used occasionally are: BBS, breeding bird survey; CBC, Christmas Bird Count; m. obs., many observers; NP, national park; NWR, national wildlife refuge; SP, state park; and SRA, state recreation area. Unless necessary, the counties of named locations are omitted.

The Field Observations Committee would like to thank everyone who contributed to this column. Please bring any unreported sightings to our attention by writing to Jim Cox, compiler.

Spring Report: March-May 1990

Drought conditions continued to dominate much of the birding activity this Spring. Low numbers of nests and many nest failures characterized wading bird colonies throughout the southern portion of the state. A major storm on 8-9 Apr brought some relief, and many species initiated nesting soon afterwards, but nesting was much later than normal. A few observers reported an influx of wading birds into central and north Florida, including some unusual extra-range reports of white morphs of Great Blue Herons.

Late reports for a variety of ducks trickled in, mostly notably from the central Florida area and the northwest. Some interesting observations of waterfowl were made well into May. There were few spectacular migrant fallouts along the lower east coast, though most of the usual migrants appeared in small numbers. Fallouts in north Florida were noted in late April and on into mid-May in some areas. These later fallouts produced some very interesting birds, but most observers reported smaller concentrations than usual. South Florida felt the edges of the first tropical depression (unnamed) over Memorial Day weekend, but there was no unusual sightings associated with this storm system

Field Observations

RED-THROATED LOON: 1 at Gulf Breeze (Santa Rosa Co.) on 18 Mar; observed at length (PT1, BT1, SD1, m. obs.).

- PACIFIC LOON: 1 at St. George Island Causeway (Franklin Co.) on 22 Mar (JC1); 1 at Pensacola on 6 May (same bird?) in breeding plumage (DF2, AF1); if accepted, 2nd and 3rd state records.
- LEAST GREBE: 2nd state record near Marco Island (Lee Co.) on 3 Mar (JD1, LD1); present at least through 28 Apr.
- WILSON'S STORM-PETREL: this pelagic species observed twice *inside* barrier islands; 1 near Key Biscayne (Dade Co.) on 5 May (VE1); another in Snake Bright Channel (Dade Co.) on 14 May (DL3).
- BROWN PELICAN: adults and immatures at scattered locations in Polk Co. from 13-27 May (BB3, BC2, LC2); unusual inland records.
- WHITE-TAILED TROPICBIRD: 1 near Key West (Atlantic side) on 19 Apr (TO1).
- GREAT CORMORANT: 1 on Indian River near Titusville (Brevard Co.) on 3 Apr (HY1).
- ANHINGA: single nest initiated at Anhinga Trail, Everglades NP, but it failed (JB1, ER1).
- FRIGATEBIRD: 1 at Eastpoint (Franklin Co.) on 26 Apr (JS3); uncommon along Big Bend coast.
- LEAST BITTERN: pair courting at Key West on Apr 4, also on Apr 30 (JO1); unusual for the area.
- AMERICAN BITTERN: 1 at Merritt Island NWR (DC3, PS1) on 3 Apr; late record for area (breeding?).
- COLONIAL WADERS: despite the drought, successful breeding reports filtered in from south Florida; a SE Hendry County rookery had nests of 10 Little Blue Herons and 10 Tricolored Herons and 100+ nests with young Cattle Egrets on 20 May (JB1, ER1); 2 rookeries along New River Canal (Broward Co.) had Tricolored Heron nests with young on 17 May (JB1, ER1); Wood Storks at Corkscrew Sanctuary were ca. 15 days from fledging by 30 May (park journal).
- GREAT BLUE HERON, WHITE MORPH: 1 at Phipps Point (Franklin Co.) in early May (GS1) and 1 at Ft. Meade (Polk Co.) on 3 Mar (LC2) were north of normal range; another inland record at "The Gap" (SW Broward Co.) on 24 May (JB1, GM1).
- REDDISH EGRET: dark-phase immature far island at Nine Mile Pond, Everglades NP, on 9 and 15 Apr (BN2, JS2, RS1).
- ROSEATE SPOONBILL: 2 remained inland at phosphate mines (Polk Co.) through period (m. obs.); impressive group of 50-60 at Eco Pond, Everglades NP, on 15 Apr (BN2, LA2); 30 at Merritt Island NWR (Brevard Co.) on 19 Mar (KD1, BF1).
- CANADA GOOSE: 1 at Navarre (Santa Rosa Co.) on 25 Apr (CT1) was late.
- FULVOUS WHISTLING-DUCK: various reports of 1-11 at St. Marks NWR (Wakulla Co.) from 1-30 Apr (JG2, DB3, DE1); also near Pensacola on 9 May (DF2, AF1); uncommon for both areas.
- WOOD DUCK: 2 pairs investigating nest holes at Deering Estate (Dade Co.) despite a lack of freshwater in the area (VE1); 1 at New River Canal (Dade Co.) on 17 May (JB1, GM1); uncommon for both areas.
- GREEN-WINGED TEAL: 1 at phosphate mines (Polk Co.) on 5 May (PF1, DF1) was late for area.
- WHITE-CHEEKED PINTAIL: 1 at Merritt Island NWR (Brevard Co.) on 30 Mar (HR1); seen through 8 Apr (m. obs.).
- BLUE-WINGED TEAL: 5 at Key West on 23 Apr (JO1) were late.
- RING-NECKED DUCK: 5 stragglers at phosphate mines (Polk Co.) on 22 May (CF1, DF1); usually only isolated individuals/pairs are seen this late.
- OLDSQUAW: 1 in Santa Rosa Co. on 20 May (BM1); late record for area.
- WHITE-WINGED SCOTER: female at Banana River (Brevard Co.) on 28 Apr (DC4, KB1, JD2, NP1) was late.
- HOODED MERGANSER: 3 nests in "wood duck" boxes in north Florida (DC1); 1 each from Ocean Pond (Baker Co.), Swift Creek Pond (Union Co.), and Palestine Lake (Union Co.).

- COMMON MERGANSER: 1 near St. James (Franklin Co.) on 21 Apr (DM1, HS1); unusual and late.
- RED-BREASTED MERGANSER: 6 stragglers in Lee Co. on 10 May (VM1); late female off Elliott Key (Dade Co.) on 20 May (VE1).
- RUDDY DUCK: 7 late birds at phosphate mines (Polk Co.) on 22 May (CF1, DF1).
- SWALLOW-TAILED KITE: 22+ at "The Gap" (SW Broward Co.) on 24 May (JB1, GM1), good spring concentration; several observed drinking on the wing (like swallows) at Nine Mile Pond, Everglades NP, on 15 Apr (BN2); 1 over Merritt Island NWR (Brevard Co.) (SM1) on 2 Apr was unusual.
- MISSISSIPPI KITE: 1 foraging in Key West (JO1) on 9 May represents a rare event.
- BLACK-SHOULDERED KITE: nest in Everglades NP close to fledging by June (fide OBI); nests in the Holey Land WMA (Broward Co.) failed (fide WG1).
- SNAIL KITE: 11 (!) in 2 Australian pines east of Conservation Area 3A (Broward Co.; JB1).
- COOPER'S HAWK: 2 nests at Archbold Biological Station (Highlands Co.); 1 in a bayhead (MM1).
- RED-TAILED HAWK: 1 black phase seen over the Suwannee River (Dixie Co.) on 17 Mar (JC3, KN1).
- SHORT-TAILED HAWK: late migrant photographed near Key West on 20 Apr (FO1); other migrant/breeding reports include 1 at Highland Hammocks SP on 16 Mar (BK1, MK1), light-phase bird near West Lake, Everglades NP, on 15 Apr (BN2, JS2, RS1), and 1 at St. Marks NWR (Wakulla Co.) on 26 Apr (very rare; JC1); a pair regularly at Tiger Creek Preserve (Polk Co.; BC2, m. obs.); courtship observed along Arbuckle Road (between Polk and Highlands cos.) on 29 Apr (RW1); 1 at Archbold Biological Station (Highlands Co.) on 12 May (JF2).
- MERLIN: 1 at Merritt Island NWR on 16 May was late (DS2, MH3); several reports in early-mid Apr from Big Bend area (JC3, DM1).
- PEREGRINE FALCON: 7 (!) passed Cruickshank Tower at Merritt Island NWR (Brevard Co.) on 20 Apr (m. obs.).
- YELLOW RAIL: 1 at St. Marks NWR (Wakulla Co.) on 10 Apr (DE1, EW1) was "almost stepped on" by observers.
- VIRGINIA RAIL: unknown number in marshes around Ft. Myers Beach on 30 Apr (VM1).
- KING RAIL: 1 at St. Andrews Bay SP (Bay Co.) on 3 May (DM1); locally rare.
- SORA: 1 at Ft. Walton Beach on 31 May (DW1, CW1) was very late.
- SANDHILL CRANE: 1 at Indian Pass (Gulf Co.) on 4 May (SJ3) and 2 near Tallahassee (Leon Co.) on 13 May (JC1) were unusual; a few pairs in Taylor Co. on 19 May (JC3, KN1).
- SEMIPALMATED PLOVER: extremely high inland count of 142 (PF1, DF1) at phosphate mines (Polk Co.) on 5 May; 50 at Shell Island (Bay Co.) on 4 May (DM1).
- PIPING PLOVER: 42 (!) at Phipps Preserve (Franklin Co.) on 15 Apr (DM1); potentially important staging area.
- BLACK-BELLIED PLOVER: 60-75 at Lanark Island (Franklin Co.) from 14-22 Apr (DM1).
- BLACK-NECKED STILT: several reports from panhandle this spring: 2 at St. Marks NWR (Wakulla Co.) on 28 Apr (CG2); 1 south of Tallahassee on 11 May (JC1, DM1); 1-2 birds present at 4 places in west Florida (RD1, m. obs.).
- AMERICAN AVOCET: 20 in breeding plumage at Ft. Myers Beach on 16 Apr (VM1).
- SPOTTED SANDPIPER: high count of approximately 100 at Ocean Pond (Baker Co.) on 16 May (DC1).
- UPLAND SANDPIPER: 1 at Key West on 9 May (JO1); the only report we received.
- RED KNOT: 2 "tangles" of 500+ at Fort Myers Beach on 16 Apr (VM1) and at Lanark Island (Franklin Co.) on 26 Apr (DM1).
- WHITE-RUMPED SANDPIPER: 2 at phosphate mines (Polk Co.) on 5 May (PF1, DF1); 1 near Tallahassee on 28 Apr and another on 11 May (DM1).
- DUNLIN: 1200 at Lanark Island (Franklin Co.) on 14 Apr (DM1); good concentration.

- STILT SANDPIPER: 2 in breeding plumage at St. Marks NWR (Wakulla Co.) on 8 May (JC1, HH1); high count of 622 at phosphate mines (Polk Co.) on 5 May (PF1, DF1).
- SHORT-BILLED DOWITCHER: 1500 at Lanark Island on 14 April (DM1); good migration count.
- LONG-BILLED DOWITCHER: 12 at St. Marks NWR (Wakulla Co.) on 22 Apr (DM1); uncommon.
- AMERICAN WOODCOCK: hen and 4 young along Suwannee River (Dixie Co.) on 11 Mar (FJ1); other late (breeding?) records were 1 at Ft. Walton Beach on 24 May (DW1, CW1) and 1 at St. Marks NWR (Wakulla Co.) (CG2) on 31 May.
- HERRING GULL: 1 at Loxahatchee NWR on 31 Mar (BN2) seemed far inland.
- HYBRID GULL: white-winged gull near Pompano Beach landfill in mid-Mar (WG1) was likely a Herring X Glaucous hybrid.
- LESSER BLACK-BACKED GULL: unusual adult plumage bird with all-black bill near Pompano Beach landfill on 24 May (BN2).
- GULL-BILLED TERN: rare inland nests found at phosphate mines in Hillsborough (4 nests; PF1, DF1) and Polk (3 nests; DF1) Cos.; 3 nests on St. George Island Causeway (Franklin Co.; DM1).
- ROSEATE TERN: 5 at Fort Taylor, Key West, on 18 May (JO1).
- COMMON TERN: alternate-plumaged bird at Honeymoon Island on 21 Apr (BN2); 1 at Fort Myers Beach on 30 Apr (VM1).
- BLACK SKIMMER: 395+ at inland nests in Polk Co. (PF1, DF1, BC2) through report period but no nesting; 250-300 near Ft. Lauderdale on 24 May (JB1) and 500 (!) on Phipps Preserve (Franklin Co.) on 7 Apr (DM1) were also impressive concentrations.
- WHITE-WINGED DOVE: 15 at Key West on 6 Apr (JO1) were a large number for the Keys; regular now at Archbold Biological Station (Highlands Co.) but no nests located (GW1, JF2); 1 at Panama City Beach (Bay Co.) on 23 Apr (TM1).
- BLUE-FOOTED PARROT: pair investigated a nest hole at Deering Estate that interested Wood Ducks as well on Apr 25 (VE1).
- WHIP-POOR-WILL: seemed especially vocal before heading back north; several reports from north Florida (PPI, JC3).
- BELTED KINGFISHER: 1 straggler flew ahead of a boat for miles along Miami Canal on 16 May (JB1, GM1); 1 north of Key Largo (mile marker 108) on 19 May (JO1); 2 stragglers at phosphate mines on 22 May (Polk Co.; CF1, DF1).
- RED-COCKADED WOODPECKER: 1 unconfirmed report from Corkscrew Swamp Sanctuary (sightings book, no date); first recent record for sanctuary.
- EASTERN PHOEBE: second Florida nest found at Shark Valley in mid-Apr (*vide* JR2); 1 bird observed in Jackson Co. in late May (DR1).
- SAY'S PHOEBE: 1 near Niceville on 22 May (JM1); observed at close range, good description provided.
- LEAST FLYCATCHER: 1 at Ft. Pickens (Escambia Co.) on 9 May (RD1), second May record for area; 1 at Key West on 24 May (based on plumage, no vocalization; DM1).
- BROWN-CRESTED FLYCATCHER: 1 at Cape Florida on 19 May in full song (DL2, CS1).
- KINGBIRDS: 3 species (Western, Eastern, Gray) observed in a single tree in NW Broward Co. on 2 May (GM1, JB1).
- GRAY KINGBIRD: 1 in the Green Swamp (Polk Co.) on 28 Apr (PF1, m. obs.), extremely rare inland; first record for county.
- SCISSOR-TAILED FLYCATCHER: 1 at St. Marks NWR (Wakulla Co.) on 24 Mar (MB1).
- UNKNOWN SWALLOW: bird with extensive white flanks seen in Broward Co. on 29 Apr (VM1); Violet-green Swallow?
- BAHAMA SWALLOW: returned to Cutler Ridge (Dade Co.) by 19 Mar (PS1), present through end of May.
- CLIFF SWALLOW: 1 at St. Marks NWR (Wakulla Co.) on 12 May (DM1); uncommon.

- CAROLINA CHICKADEE: 2 at Merritt Island NWR (Brevard Co.) on 16 Apr (DS2); few records for area.
- CAROLINA WREN: multiple sightings of 1 at Corkscrew Swamp Sanctuary with pure white tail and much white around the neck and folded wing.
- BLUE-GRAY GNATCATCHER: 6-8 spread wings over the treated lumber of a repaired boardwalk at Corkscrew Swamp Sanctuary; birds may use chemicals in wood for "ant-ing."
- VEERY: 1 at Key West on 31 May (JO1) was very late.
- HERMIT THRUSH: 1 at Storter Park (Collier Co.) on 5 Mar (MW1), and later on 17 Mar (BN2, JG1), was rare for south Florida; 2 more at Everglades NP on 28 Mar (VE1); heard singing in many areas of north Florida before leaving (JC3).
- AMERICAN ROBIN: 1 at The Plantation (Lee Co.) on 13 Apr (VM1) was late; several possible breeding records include 1 at Gulf Breeze on 22 May (RD1), 1 singing at Osceola NF on 30 May (DC1), and 1 near Raiford (Union Co.) on 26 May (PP1); this last observation is further south than other known nesting sites for area.
- BAHAMA MOCKINGBIRD: 1 (good documentation) at Cape Florida (PS1, m. obs.) on 20 May but not seen afterwards; *another* (same bird?) in Ft. Lauderdale (BE1) on 21 May.
- CEDAR WAXWING: continued reports of large flocks from south Florida through Apr.
- THICK-BILLED VIREO: 1 at Hypoluxo Island (Palm Beach Co.) on 10 Mar (HL1) remained approx. 3 weeks; it was netted, measured, videotaped, audiotaped, and photographed by several observers.
- BLACK-WHISKERED VIREO: 1 at Castellow Hammock on 9 Apr (BN2, JS2, RS1) was unusually far inland.
- GOLDEN-WINGED WARBLER: male at the Deering Estate (Dade Co.) on 25 Apr (VE1); uncommon southeast coast sighting.
- NASHVILLE WARBLER: 1 at Cape Florida (JG1) on 13 Apr; 1 at Key West (JO1) on 12 May; rare in spring in south Florida; 1 at Gulf Island NS (Escambia Co.) on 30 Apr (HE1).
- BLACKPOLL WARBLER: 1 at Long Key (Monroe Co.) on 24 May (DM1) was somewhat late.
- BAY-BREASTED WARBLER: 1 at Alligator Point on 28 Apr (HS1, CW2); unusual in spring in north Florida.
- AMERICAN REDSTART: late female at Long Key (DM1) on 24 May.
- SWINSON'S WARBLER: late migrant at Key West on 12 May (JO1). Several breeding reports from north-central Florida lead to speculation about 1990 being a banner year for this species (at least for singing males): 5 males along Chipola River (Jackson Co.) in mid May (DM1); found in 3 atlas blocks in Taylor Co. (DM2, JC3), 1 with 7 males; 1 near Ebro (Washington Co.) on 26 May (JC3); found in 3 atlas blocks in Okaloosa Co. (DW1); found in 8 atlas blocks in Liberty Co. (m. obs.); found in 2 atlas blocks near Tallahassee (SJ2, BM2).
- LOUISIANA WATERTHRUSH: apparently more common as a migrant this spring; many reports from south Florida.
- KENTUCKY WARBLER: 1 at Deering Estate on 19 Apr (VE1); rare along southeast coast.
- CANADA WARBLER: 1 very late at Gulf Breeze (Santa Rosa Co.) on 16 May (DB1).
- CONNECTICUT WARBLER: several records for this seldom seen species: 3-4 at Cape Florida on 11 May (JB1, ER1); approximately 20 (!) at St. George Island on 15 May (JC1, m. obs.); female near Shired Island (Dixie Co.) on 17 May (JC3).
- PAINTED BUNTING: sub-adult male at Key West on 25 Apr (JO1), last report for area; 1 at St. Marks NWR (Wakulla Co.) on 21 Apr (CG2), rare for area.
- DICKCISSEL: 1 at Castellow Hammock ca. 17 Apr (PS1).
- YELLOW-FACED GRASSQUIT: female at Flamingo, Everglades NP, on 28 Mar (DH1).
- FIELD SPARROW: 1 at Eco Pond, Everglades NP, from 19-21 Mar, (RC1; Everglades NP sightings book) was unusually far south for its normal wintering range.

where?

- GRASSHOPPER SPARROW: 1 in mangroves with warblers on 21-22 Apr (VM1), was out of its element; 1 near Mullet Key (Monroe Co.) on 22 Apr (JB3, BN2, m. obs.).
- LE CONTE'S SPARROW: juvenile bird in Lee Co. on 15 Apr (VM1).
- LINCOLN'S SPARROW: 1 at Cape Florida on 4 May (DL2, KS1).
- LARK SPARROW: 1 at St. George Island (Franklin Co.) on 26 Apr (JS3).
- BOBOLINK: 1 early near Jacksonville (JC2) on 2 Apr; late reports on 24 May from Long Key (1 ad. fem., 2 imm.) and Key West (2 fem) (DM1). Notable high counts: 80 at Merritt Island NWR (Brevard Co.) on 2 May (DC3); 40 near Fort Myers on 6 May (VM1); 10 at Key West from 25-26 May (JO1).
- SHINY COWBIRD: new records from north Florida indicate that the species is expanding quickly along the west coast: 1 at St. Andrews SP (Bay Co.) on 3-4 May (DM1); 1 at Ft. Pickens (Escambia Co.) on 9 May (RD1); male at Ochlockonee River SP (Wakulla Co.) on 23 May (RW1); 1 near Tallahassee on 30 May-9 June with 15 seen on 30 May (RW1); also expanding in the south with new records for Lee Co. from 5 May on (VM1). Where is this bird found along the Atlantic Coast, and why did it bypass Tampa?
- ORCHARD ORIOLE: 13 at Key West on 6 Apr (JO1) represent a large number for area; male at Castellow Hammock following a storm on 9 Apr (BN2, JS2, RS1) was a rare southeast coastal record.
- NORTHERN (BALTIMORE) ORIOLE: adult male and first-year male at Castellow Hammock (Dade Co.) on 9 Apr (BN2, JS2, RS1); 5 at feeder (PF1) 31 Mar-5 Apr in Winter Haven (Polk Co.).
- PINE SISKIN: 1 at Merritt Island NWR on 18 Apr and 1 at feeder in Brevard Co. on 29 Apr (DC3) were late.
- HOUSE FINCH: male singing in Pensacola on 23 May (RD1); first indications of possible breeding in area; reports of breeding in new areas of Leon Co. (TE1).

Observer abbreviations: Larry Axelrod (LA2), Benny Bindschadler (BB3), Dick Ballman (DB1), Dana Bryan (DB3), Jocie Baker (JB1), Joe Barros (JB3), Ken Bennet (KB1), Michael Brothers (MB1), Oron Bass (OB1), Buck Cooper (BC2), Dick Couch (DC1), Dwight Cooley (DC3), Dan Click (DC4), Jim Cavanagh (JC1), Julie Cocks (JC2), Jim Cox (JC3), Linda Cooper (LC2), R. Crooms (RC1), John Douglas (JD1), Judy Dryja (JD2), Kay Davis (KD1), Linda Douglas (LD1), Robert Duncan (RD1), Scot Duncan (SD1), Bernie English (BE1), Dave Eslinger (DE1), Howard Evecyn (HE1), Todd Engstrom (TE1), Virginia Edens (VE1), Ann Forster (AF1), Bebe Fitzgerald (BF1), Clarice Ford (CF1), Don Ford (DF1), Don Forester (DF2), John Fitzpatrick (JF2) Paul Fellers (PF1), C. S. Gidden (CG2), Jeff Goodwin (JG1), Jay Gould (JG2), J. Greenberg (JG3), Wally George (WG1), David Hartman (DH1), Hugh Hill (HH1), Mary Harrell (MH3), Fran James (FJ1), Steve Jones (SJ2), Sally Jue (SJ3), Bruce Kittredge (BK1), Marion Kittredge (MK1), Donn LeRoy (DL1), David Lysinger (DL2), D. Liggett (DL3), Howard Langridge (HL1), Bill Milmore (BM1), Brian Millsap (BM2), Doug McNair (DM1), Dave Mehlman (DM2), George Myers (GM1), Joyce McKenney (JM1), Michael McMillan (MM1), Steve McGehee (SM1), Tony Menart (TM1), Vincent McGrath (VM1), Bruce Neville (BN2), Katy NeSmith (KN1), Joe Ondrejko (JO1), Tim O'Day (TO1), Nancy Paul (NP1), Peggy Powell (PP1), Doug Runde (DR1), Ed Rosenberg (ER1), Harry Robbinson (HR1), Jay Robbinson (JR2), Kitty Suarez (CS1), David Simpson (DS2), Greg Seamon (GS1), Henry Stevenson (HS1), John Squire (JS2), Jim Stevenson (JS3), Kevin Sarsfield (KS1), P. William Smith (PS1), Rita Squire (RS1), Charles Teagle, (CT1), Bill Tetlow (BT1), Phil Tetlow (PT1), H. G. Toung (HY1), Carol Ware (CW1), C. Watt (CW2), Donald Ware (DW1), Eddie White (EW1), Glenn Woolfenden (GW1), Mickey Wheeler (MW1), Rick West (RW1).