

---

January 1991

## Spring Report: March-may 1991

Florida Field Naturalist

Follow this and additional works at: <https://digitalcommons.usf.edu/ffn>

---

### Recommended Citation

Florida Field Naturalist (1991) "Spring Report: March-may 1991," *Florida Field Naturalist*. Vol. 19 : Iss. 4 , Article 8.

Available at: <https://digitalcommons.usf.edu/ffn/vol19/iss4/8>

This Field Observations is brought to you for free and open access by Digital Commons @ University of South Florida. It has been accepted for inclusion in Florida Field Naturalist by an authorized editor of Digital Commons @ University of South Florida. For more information, please contact [digitalcommons@usf.edu](mailto:digitalcommons@usf.edu).

## FIELD OBSERVATIONS

Fla. Field Nat. 19(4): 126-131, 1991.

**Spring Report: March-May 1991.**—The observations listed here are based on unsubstantiated accounts of rare birds and unusual numbers of birds reported to the FOS Field Observation Committee (Jim Cox, Fred Lohrer [substituting for Linda Cooper], Peggy Powell, Bill Pranty, and Wayne Hoffman). The observations are not subjected to a thorough evaluation and formal peer review and thus must be considered tentative pending further review. We encourage observers to report their sightings to the FOS Records Committee (c/o Jocelyn Lee Baker, Secretary, 851 N. Surf Rd., #302, Hollywood, FL, 33019) for formal consideration. We also encourage observers to prepare formal notes and articles to describe extremely rare and unusual sightings.

Several conventions have been adopted to save space. A 3-character set of alpha-numeric initials is used to identify contributors within the accounts of individual species. A complete list of observers and corresponding initials is provided at the end of the report. The list of observers is organized alpha-numerically using the 3-character initials. Names of observers for this report are drawn from a master list containing >150 names, and this procedure may result in occasional gaps in the alpha-numeric sequence (e.g., the listing of BB2 without a previous BB1). Another convention adopted is the use of common names exclusively. Persons interested in scientific names should consult AOU (1983. Checklist of the North American Birds, 6th ed., Washington, D.C., Am. Ornithol. Union) and revisions published in *The Auk*. Other abbreviations used occasionally are: imm., immature; m. obs., many observers; NM, national monument; NP, national park; NS, national seashore; NWR, national wildlife refuge; SP, state park; SRA, state recreation area; and S, W, N, E, etc. for compass headings. Unless necessary to clarify the location, the counties of named locations are omitted.

The FOS Field Observation Committee would like to thank everyone who contributed information. Please bring any unusual observations not reported here to the attention of the compiler.—**Jim Cox**, Florida Game and Fresh Water Fish Commission, 620 S. Meridian St., Tallahassee, FL 32399-1600.

## SUMMARY OF THE SPRING SEASON

The spring season included reports of several extremely rare birds from different areas of the state. A first Florida record and only third U.S. record of Variegated Flycatcher was photographed at the Dry Tortugas. A potential first state record for Hook-billed Kite was reported from the Florida Keys based on 2 brief sightings. Two La Sagra's Flycatcher also were reported from the Keys and lingered long enough to provide many with an opportunity to add this species to their life lists. Two reports of Lazuli Bunting were received from north Florida within 4 days of each other. If the buntings were indeed the same bird, then the bird moved  $\pm$  120 km from NE St. Johns County to rural Alachua County.

The season also saw an unusual influx of storm petrels (mostly Leach's) along the northeastern coast with as many as 20 seen at 1 location. Two Band-rumped Storm-Petrels were reported from the Dry Tortugas. There were also 2 reports of Arctic Tern this spring from Franklin County and the Florida Keys. Other noteworthy sightings of pelagic species included large concentrations of Northern Gannets south of St. George Island and Magnificent Frigatebirds along the Big Bend coast. There was also a report of a large die-off of Common Loons at Panama City (Bay County), as well as the grounding of many Common Loons at an airport landing strip near Lake City following a heavy rain.

Two excellent "fall-outs" of songbirds were reported on 23 April and again on 30 April. Twenty-plus species of warblers were seen at 2 different areas in northwest Florida on the first date (while many FOS members were at the spring meeting in Tampa). Black-whiskered Vireos seemed prone to migrate past nesting sites this year as 3 reports were received from the panhandle. Finally, a report of House Finch in Ft. Myers deserves special mention as it represents an extension from recorded breeding sites in north Florida.

## SPECIES ACCOUNTS

- RED-THROATED LOON: 1 at St. George Island (Franklin Co.) on 27 Apr (DE3).
- PACIFIC LOON: 1 at pre-alternate molt at Big Sabin (Escambia Co.) on 9 Mar (RD1), probably 1 that wintered in the area.
- COMMON LOON: 36± landed on the Lake City Airport (Columbia Co.) on 23 Apr (JK1); many more were heard circling overhead as grounded birds were collected for transport to a nearby lake. Other late sightings include: 1 at Sanibel Causeway (Lee Co.) on 1 May (VM1); 1 in basic plumage N of St. Augustine (St. Johns Co.) on 13 May (JC2); 1 at St. Marks NWR (Wakulla Co.) on 23 May (JC1); and 1 at Ft. Walton Beach (Walton Co.) on 25 May (DW1).
- PIED-BILLED GREBE: pair nested on Stock Island golf course at Key West (m. obs.), unusual location.
- WILSON'S STORM-PETREL: 1 over surf at Flagler Beach (Flagler Co.) on 24 May (LB1, PP1); 2 at Ft. Clinch SP (Nassau Co.) on 27 May (HT1).
- LEACH'S STORM-PETREL: 1 photographed in Florida Bay (Monroe Co.) on 11 May (AS1); many seen along NE Florida coast from 23 to 27 May: exhausted bird picked up at Jacksonville Beach Lifeguard Station on 23 May, later died; 20+ feeding in the surf amid bathers at Ft. Clinch SP (Nassau Co.) on 25 May (HB1); 8+ feeding along surf at Anastasia SRA (St. Johns Co.) on 25 May (JS6, PP1); 3 close to beach at Ft. Clinch SP (Nassau Co.) on 27 May (JH2, BM3).
- BAND-RUMPED STORM-PETREL: First record for Ft. Jefferson NM on 2 Apr and one between Dry Tortugas and Key West on 12 May (WBI, BH2, HL1).
- WHITE-TAILED TROPICBIRD: one at Dry Tortugas 29 Mar.; one other sited in mid-Apr (ES2, WB1).
- MAGNIFICANT FRIGATEBIRD: 3 along Dixie Co. coast in mid Apr (NW1); male at Panama City Beach (Bay Co.) on 15 April (LK1, EK1).
- NORTHERN GANNET: large numbers (100's) flying W along St. George Island (RW3) at several times.
- MASKED BOOBY: 2 imm. off Port Canaveral (Brevard Co.) on 18 Mar (BN2, DE2); 17 at Dry Tortugas throughout the season (WB1).
- BROWN BOOBY: 5 at Dry Tortugas on 29 Apr (HR1).
- RED-FOOTED BOOBY: 1 bird on 19 Mar at Dry Tortugas (PS4).
- BROWN PELICAN: several unusual inland records: 5 over Archbold Biological Station (Highlands Co.) on 14 Apr (JG4); 3 over Newman's Lake (Alachua Co.) on 29 Apr (IF1), 4th report for area since 1975; 2 near Cross City (Dixie Co.) on 26 May (KN1, JC3).
- DOUBLE-CRESTED CORMORANT: 4650 at IMC phosphate mines (Polk Co.) on 23 Mar (PF1), high count.
- LEAST BITTERN: fledglings at Wakulla Springs SP (Wakulla Co.) on 2 Jun (JP2), new nesting area.
- REDDISH EGRET: 5 at Hagen's Cove (Taylor Co.) on 24 Mar, 5 and 28 Apr, and 5 May (NW1); 2 were in breeding plumage, but nests still elude Big Bend birders.
- GREAT BLUE HERON, white morph: 1 flying over Archbold Biological Station (Highlands Co.) on 7 Apr (GW1), very unusual for area.

- GLOSSY IBIS: 4 at Ft. Walton Beach sewage plant on 30 Mar (RD1, SD1, LD2, LH2).  
 SCARLET IBIS: 1 N of Ft. Myers (Lee Co.) believed to be resident (VM1), origin suspect.  
 ROSEATE SPOONBILL: imm. S of Gainesville on 2 May (TT1, DW2); rare for area with no previous reports before June.  
 SNOW GOOSE: 15 flying over Lake Weir (Marion Co.) on 1 Mar (JW1); good number for season and location.  
 FULVOUS WHISTLING-DUCK: 1000 on Lake Okeechobee near Lakeport (Glades Co.) on 2 Mar (MM1, JG4); 6 at Stock Island Golf Course (Monroe Co.) on 3 Mar (MB2).  
 AMERICAN WIDGEON: 1 at Deering Estate Golf Course (Dade Co.) on 19 May (VE1) was late for area.  
 WHITE-CHEEKED PINTAIL: 1 in Mt. Dora throughout the period (WB1).  
 NORTHERN SHOVELER: 100+ at St. Marks NWR (Wakulla Co.) on 23 Apr (JC1), good concentration for late spring (equal number of males and females).  
 GREEN-WINGED TEAL: 1600 at IMC phosphate mines (Polk Co.) on 23 Mar (PF1).  
 RUDDY DUCK: 5300 at IMC phosphate mines (Polk Co.) on 23 Mar (PF1), high count.  
 GREATER SCAUP: 5 females at McKay Bay (Hillsborough Co.) on 20 May (BN2), late.  
 COMMON MERGANSER: 1 male at Tallahassee on 2 Apr (BP1).  
 RED-BREADED MERGANSER: 3 at Grayton Beach SRA (Okaloosa Co.) on 25 May (DW1).  
 SURF SCOTER: young male at St. Marks NWR (Wakulla Co.) on 14 Mar (JC1), unusual; male at IMC phosphate mines (Polk Co.) on 12 May (PF1), second co. record.  
 CRESTED CARACARA: reported in new area of Palm Beach Co. (JB1), near Miami Canal.  
 HOOK-BILLED KITE: 1 brief sighting on Sugarloaf Key (Monroe Co.) on 27 Apr (WH1, JK2) followed by another brief sighting on 29 Apr (KE1); if verified, first U.S. record outside of Texas.  
 BLACK-SHOULDERED KITE: 1 in new area of NW Broward Co. on 25 Apr (JB1, GM1).  
 SNAIL KITE: continued a strong showing in northern areas of range: 1 at Lake Istokpoga (Highlands Co.) on 30 Mar (MM1, RB2); 4 at Lake Kissimmee (Polk Co.) on 18 Mar (MM1, AB1); also present at Lehigh Acres (Lee Co.) and possibly nesting in area (VM1).  
 BLACK-SHOULDERED KITE: 1 successful nest in E Everglades (PS1).  
 SHORT-TAILED HAWK: 2 in Green Swamp (Polk Co.) on 17 Mar (JF1), possible migrants; 1 near Sneads (Jackson Co.) on 1 Apr (RD1, LD2), birds reported from area before; seen in remote areas of Taylor Co. in early and late May (BM2); 1 also reported in Cedar Key (Levy Co.) on 1 Jun (JP2); 4 birds NE of Avon Park throughout period (WB1).  
 GOLDEN EAGLE: imm. near Panama City (Bay Co.) on 16 May (DS2).  
 BLACK RAIL: 20+ territories found in coastal area of Dixie Co. (NW1) by 5 May; territories appear to begin to form in early April (NW1).  
 SORA: migrant on private lawn in Tallahassee (Leon Co.) on 8 Mar (BN2), unusual location.  
 SANDHILL CRANE: subspecies *canadensis* at Paynes Prairie from 7 to 18 Mar (SN1); SN1 believes this is first record of the "lesser" subspecies in state.  
 LIMPKIN: 2 reports from panhandle: 1 at Morrow Lake on 1 Apr; 1 on Choctawhatchee River (Walton Co.) in early Apr (*vide* DW1); reported nesting in new areas of NE Broward Co. (JB1, CP1).  
 BLACK-NECKED STILT: 2 at sewage treatment plant S of Tallahassee on 24 Mar (NW1); 2 at Paynes Prairie SP on 28 Mar (RR1), 5 at this location on 30 Mar (HA1); 2-5 at Ft. Walton Beach sewage treatment plant 30 Apr-22 May, rare in spring.  
 WHITE-RUMPED SANDPIPER: 1 at sewage treatment plant S of Tallahassee (Leon Co.) on 25 Apr (HS1) and again on 26 May (JS3); 1 at St. George Island SP (Franklin Co.) on 27 Apr (RW3); 3 at Dry Tortugas on 29 Mar to mid-May (WB1).  
 PEEPS: 12500 (mostly Least Sandpiper) at IMC phosphate mines on 23 Mar (JF1), very large number.  
 STILT SANDPIPER: 185 at Merritt Island NWR (HR1) on 1 Apr; 1500 at IMC phosphate mines (Polk Co.) on 4 May (JF1).

- SPOTTED SANDPIPER: 25 at George's Lake (Putnam Co.) on 20 May (LM1).  
UPLAND SANDPIPER: 4 near Venus (Highland Co.) on 11 Apr (JG4); 1 at Kanapaha Prairie (Alachua Co.) on 23 Apr (SN1).  
PECTORAL SANDPIPER: 1 at Paynes Prairie SP (Alachua Co.) on 7 Mar (BM3, JD3); rare here in spring and also early.  
DUNLIN: 250 at Hagen's Cove (Taylor Co.) on 5 May (NW1), good concentration.  
SHORT-BILLED DOWITCHER: 2100 at IMC phosphate mines (Polk Co.) on 6 Apr (PF1).  
LONG-BILLED DOWITCHER: 1 at sewage treatment plant S of Tallahassee (Leon Co.) on 3,4 Apr (BN2, DE2), confirmed by call.  
LONG-BILLED CURLEW: wintering at Cape San Blas (Gulf Co.) 10 Mar (JS3).  
BLACK-BELLIED PLOVER: 65 at Hagen's Cove (Taylor Co.) on 5 May (NW1).  
AMERICAN OYSTERCATCHER: 1 on S Big Pine Key on 16 May (SF3), rare in Keys.  
LAUGHING GULL: 25 over Gainesville on 16 Apr (JH2); large group for this inland area.  
ROYAL TERN: 3 over Archbold Biological Station (Highlands Co.) on 2 Apr (AB1), unusual inland sighting.  
ARCTIC TERN: 1 E of St. George Island SP (Franklin Co.) on 29 Apr (DE3), good details; 1 photographed at Islamorada (Monroe Co.) on 13 May (WH1).  
BLACK NODDY: 3 at Dry Tortugas from late Mar to mid-May (WB1).  
BLACK SKIMMER: 427 at IMC phosphate mines (Polk Co.) on 23 Mar (PF1).  
WHITE-WINGED DOVE: 2 at Cape San Blas (Gulf Co.) on 26 May (RC2), uncommon.  
EURASIAN COLLARED-DOVE: 2 in coastal Dixie Co. on 5 May (NW1); 1 at Live Oak Island (Wakulla Co.) on 5 Apr (BP1); spreading along coast.  
ROSE-RINGED PARAKEET: new breeding record from Crystal River (Citrus Co.), very distant from nearest known breeding locality (BS3).  
YELLOW-BILLED CUCKOO: early record at Cape San Blas (Gulf Co.) on 24 Mar (JS3).  
MANGROVE CUCKOO: 2 records for Pinellas Co.: 1 at Ft. DeSoto Park on 27 Apr (AW1, PW1); 1 at Weedon Island on 25 May (RS2); presumably breeds in co., but no confirmed records from breeding bird atlas.  
GROOVE-BILLED ANI: 1 at Eco Pond Everglades NP from winter to 28 Apr (m. obs.).  
BARN OWL: 1 nested under I-75 (JB1) near the Miami Canal (Broward Co.).  
BURROWING OWL: 1 at Dog Island (Franklin Co.) on 9 Mar (FJ1, DE3); rare for panhandle; 1 at Dry Tortugas from 29 Mar to Early May (WB1, ES2).  
SHORT-EARED OWL: 1 at Dry Tortugas from 29 to 30 Apr (HR1).  
WHIP-POOR-WILL: 23 singing in a 150 m radius circle at main grounds of Archbold Biological Station (Highlands Co.) on 10 Mar, high count (AB1).  
CHUCK-WILL'S-WIDOW: nest at Deering Estate (Broward Co.) on 29 May (VE1), unusual.  
RUBY-THROATED HUMMINGBIRD: 1 on nest on St. George Island (Franklin Co.) on 27 Apr (KN1, DM2, JC3), nesting on island not previously reported.  
CUBAN EMERALD: 1 female at Mahogany Hammock, Everglades NP 4-7 May (WB1, DL3, ML1, LA1). First Florida report since 1980.  
LA SAGRA'S FLYCATCHER: 1 in Islamorada 7 April to early May (PS1, SS2, m. obs.).  
GRAY KINGBIRD: 1 near Venus (Highland Co.) on 15 Apr, uncommon migrant in co. (JL1).  
EASTERN WOOD-PEEWEE: 1 at Shired Island (Dixie Co.) on 26 May (KN1, JC3), late migrant or unusual breeding location.  
OLIVE-SIDED FLYCATCHER: 1 E of Florida City on 20 Apr (HL1, BH2).  
LOGGERHEAD KINGBIRD: 1 at Tavernier on 28 Apr (LP1, DK1).  
SCISSOR-TAILED FLYCATCHER: 1 at Cedar Key (Dixie Co.) on 9 Apr (DH2) and again on 18 Apr (BM3, MG2); 1 near Miami Canal (Broward Co.) on 12 Apr (JB1); 1 at Cape San Blas (Gulf Co.) on 26 May (RC2).  
VARIEGATED FLYCATCHER: 1 at Dry Tortugas on 15 Mar (RB3).  
BAHAMA SWALLOW: 1 at Cutler Ridge (Dade Co.) in the Cave Swallow Colony from 2 Mar through May (MW1).

- AMERICAN ROBIN: 1 at St. George Island SP (Franklin Co.) on 23 May (JC1); 1 S of Perry (Taylor Co.) on 26, 28 May (JC3, KN1); no evidence of breeding activity.
- VEERY: 1 at Captiva (Lee Co.) on 20, 27 Apr (VM1).
- GRAY-CHEEKED THRUSH: 1 at Captiva (Lee Co.) on 20 Apr (VM1).
- BAHAMA MOCKINGBIRD: 1 at Bill Baggs Cape Florida SRA on 30 Apr (CP1, BE1); 1 at N Key Largo on 25 May (PS1, SS2); 1 at Hypoluxo Island (Palm Beach Co.) 11 May (DC5).
- GRAY CATBIRD: territorial bird at Cape San Blas (Gulf Co.) on 26 May (RC2); rare, but other breeding season records on nearby mainland.
- RED-BREASTED NUTHATCH: 1 at St. Joseph SP on 3 Mar and 6 Apr (BN2, DE2).
- CEDAR WAXWING: 29 killed after striking a building in Tallahassee on 27 Mar (BD3).
- THICK-BILLED VIREO: 1 in Islamorada (Monroe Co.) on 11 Mar to late Apr (TK1, PS1).
- PHILADELPHIA VIREO: 1 photographed at Ft. DeSoto Park (Pinellas Co.) on 21, 22 Mar (LA1, MW2), very early; another at Ft. DeSoto Park on 5 Apr (LA1).
- BLACK-WHISKERED VIREO: 1 (*barbatulos* race) at Gulf Breeze (Escambia Co.) on 20 Apr (RD1); 1 at St. George Island (Franklin Co.) on 23 Apr (JC1) and later on 27 Apr (DM2, KN1, JC3); 2 at St. Joseph Island SP (Gulf Co.) on 23 Apr (RI1, AI1).
- BLUE-WINGED WARBLER: 1 wintering at Deering Estate (Broward Co.) remained until 20 Mar (VE1); 1 at Captiva (Lee Co.) on 30 Mar (VM1).
- TENNESSEE WARBLER: 1 on Captiva (Lee Co.) on 9 May (VM1).
- CERULEAN WARBLER: male in Winter Park (Orange Co.) on 19 Mar (HR1).
- BLACKPOLL WARBLER: female at St. Marks NWR on 23 May (JC1), late migrant.
- PROTHONOTARY WARBLER: 1 at St. Andrews SP (Bay Co.) on 3 Mar (BN2, DE2); 15 at Lake Kissimmee SP (Polk Co.) on 15 Mar (PF1), early dates.
- WORM-EATING WARBLER: 3 at Deering Estate (Broward Co.) on 20 Mar (VE1); 1 at Captiva (Lee Co.) on 5 Apr, and 2 at Captiva on 13 Apr (VM1).
- SWAINSON'S WARBLER: 1 in Mallory Swamp (Dixie Co.) on 25 May (KN1, JC3).
- MOURNING WARBLER: 1 at Sanibel (Lee Co.) on 27 Apr (*vide* VM1).
- CONNECTICUT WARBLER: male banded at Casey Key (Sarasota Co.) on 9 May (AS2, SS1); another male banded at same location on 12 May.
- WILSON'S WARBLER: 1 at St. George Island SP (Franklin Co.) on 23 Apr (JC1), rare.
- YELLOW-BREASTED CHAT: 1 banded at Casey Key (Sarasota Co.) on 13 Apr (AS2, SS1).
- STRIP-HEADED Tanager: 1 male at Bill Baggs Cape Florida SRA 1-3 Apr (JS7).
- LAZULI BUNTING: 1, a young male, at feeders at Ponte Vedra Beach (St. Johns Co.) on 19-22 Mar (CC2); another seen in rural Alachua Co. on 25-26 Mar (RW4); both sightings include good descriptions of birds.
- PAINTED BUNTING: 1 NW of Gainesville on 12 Apr (JS5), formerly common but now rare in area; female at St. Marks NWR (Wakulla Co.) on 21 Apr (HS1), uncommon in area; 1 at St. George Island SP (Franklin Co.) on 23 Apr (JC1).
- DICKISSEL: male at Belle Glade (Palm Beach Co.) on 5 Apr (HR1); female at St. George Island SP (Franklin Co.) on 23 Apr (JC1); 1 at Cedar Key on 28 Apr (DH2).
- LARK SPARROW: 1 at Ft. Desoto Park (Pinellas Co.) on 6-22 Apr (LA1, LH1, DG1), rare migrant that remained for a long period.
- LE CONTE'S SPARROW: 1 at St. George Island SP (Franklin Co.) on 27 Apr (RW3).
- LINCOLN'S SPARROW: 1 at Ft. Pickens NM (Escambia Co.) on 30 Mar (RD1).
- CLAY-COLORED SPARROW: 1 wintered at Archbold Biological Station (Highlands Co.) until approximately mid-Mar (JF2), associated with flock of Chipping Sparrows.
- YELLOW-HEADED BLACKBIRD: female in Dade City (Pasco Co.) on 3 Apr (HR1).
- BROWN-HEADED COWBIRD: 40 at Blind Pass (Lee Co.) on 3 Mar (VM1); large concentrations reported from Captiva Island on 11 Mar (VM1); present at Flamingo (Monroe Co.) throughout period (WH1).

SHINY COWBIRD: 1 along Choctawhatchee River (Okaloosa Co.) on 20 Apr (DW1); 1 on Cudjoe Key (Monroe Co.) on 26 Apr (WH1); on Dry Tortugas from 29 Mar to mid-May (WB1); 2 on Plantation Key for at least a week in late Apr (RS2); 2 more records for Pinellas Co. (LH1, LA1, MW1) in late Apr; 1 at Ft. Walton Beach sewage treatment plant (Walton Co.) on 4 May (RD1); 1 at Captiva on 16 May (VN1); present at Flamingo off and on throughout the period (WH1).

BOBOLINK: large flock (100's) at Ochlockonee River SP (Wakulla Co.) on 2 Apr (DE2, BN2).

HOUSE FINCH: 1 in downtown Ft. Myers on 13 May (VM1); 1 at Crestview (Okaloosa Co.) on 22 May (IM1).

HOUSE SPARROW: 1 female at Dry Tortugas on 29-30 Mar (WB1, ES2).

Contributors: Howard Adams (HA1), Lynn Atherton (LA1), Alfredo Begazo (AB1), Dana Bryan (DB3), Harold Belcher (HB1), Jocie Baker (JB1), Linda Bremer (LB1), Marge Brown (MB2), Reed Bowman (RB2), R. Bradbury (RB3), Wes Biggs (WB1), Clifford Cole (CC2), Dan Cimbaro (DC5), Jim Cavanagh (JC1), Julie Cocke (JC2), James Cox (JC3), Ron Christen (RC2), J. Dorney (JD3), Lucy Duncan (LD2), Robert Duncan (RD1), Scott Duncan (SD1), Bernie English (BE1), Doug Emkalns (DE2), Duncan Everett (DE3), Keenan Ennis (KE1), Virginia Edens (VE1), Frank Frazier (FF1), Ike Fromberg (IF1), Joe Fisher (JF1), John Fitzpatrick (JF2), Paul Fellers (PF1), Sue Frank (SF3), David Goodwin (DG1), John Grahame (JG4), Margaret Green (MG2), Bruce Hallett (BH2), Dale Henderson (DH2), John Hintermister (JH2), Larry Hopkins (LH1), Laura Helmuth (LH2), Wayne Hofman (WH1), Ann Ingram (AI1), Richard Ingram (RI1), Fran James (FJ1), Debbie Kirwan (DK1), Ed Keppner (EK1), Jerry Krummrich (JK1), Jim Kopitzke (JK2), Lisa Keppner (LK1), Ted Konndakjian (TK1), David Lysinger (DL3), H. Langridge (HL1), Jim Layne (JL1), Mitchell Lysinger (ML1), Brian Millsap (BM2), Barbara Muschlitz (BM3), David Mehlman (DM2), George Myers (GM1), Iris Miller (IM1), Lenore McCullagh (LM1), Michael McMillan (MM1), Vincent McGrath (VM1), Bruce Neville (BN2), Katy NeSmith (KN1), Steve Nesbitt (SN1), Carolyn Porrino (CP1), Bill Pranty (BP1), Jim Paton (JP2), Liz Phinney (LP1), Peggy Powell (PP1), Harry Robinson (HR1), Rex Rowan (RR1), Allan Strong (AS1), Ann Stedman (AS2), Beth Smythe (BS3), Don Scott (DS2), Eugene Stoccardo (ES2), Henry Stevenson (HS1), James Stevenson (JS3), Judith Stipek (JS5), Jeannie Seals (JS6), J. C. Simard (JS7), P. William Smith (PS1), Paul Sykes (PS4), Rick Sawickin (RS2), Stanley Stedman (SS1), Susan Smith (SS2), Hugh Tyner (HT1), Tes Toops (TT1), Ann Weinrich (AW1), Don Ware (DW1), Dan Wenny (DW2), Glen Woolfenden (GW1), Jane Wiltze (JW1), Noel Wamer (NW1), Mickey Wheeler (MW1), Phil Weinrich (PW1), Ralph Widrig (RW3), Robert Wallace (RW4).