

2007

IBBA Annual Report of Birds Banded, 2006

Brent Ortego

Follow this and additional works at: <https://digitalcommons.usf.edu/nabb>

Recommended Citation

Ortego, Brent (2007) "IBBA Annual Report of Birds Banded, 2006," *North American Bird Bander*. Vol. 32 : Iss. 2 , Article 20.

Available at: <https://digitalcommons.usf.edu/nabb/vol32/iss2/20>

This Inland News is brought to you for free and open access by the Searchable Ornithological Research Archive at Digital Commons @ University of South Florida. It has been accepted for inclusion in North American Bird Bander by an authorized editor of Digital Commons @ University of South Florida. For more information, please contact digitalcommons@usf.edu.

Among the 20 species that are most frequently captured at Island Beach in the fall, only four had average capture rates this season: Red-eyed Vireo, Hermit Thrush, Black-and-white Warbler, and White-throated Sparrow. Hermit Thrush was above 2 SD of average, the other three only a few percent above average. Exceptional on the low end were Eastern Phoebe, Ruby-crowned Kinglet, Eastern Towhee and Song Sparrow that were captured at about half of their average rates, plus Slate-colored Junco at 38%, and Palm Warbler at

only 17%. Among species that are not in our "top 20," Carolina Chickadee, Carolina Wren, American Robin, and Northern Cardinal also were captured at about double the usual rates. These last four species breed locally at this banding site and except for Robin are not highly migratory. Their strong showings probably are indicative of good breeding seasons locally.



Inland Regional News

Inland Bird Banding Association

Founded 1922

IBBA Annual Report of Birds Banded, 2006

Summary of banding reported from the IBBA region for 2006 with USFWS/CWS bands.

This is the fifth consecutive year of this report. Fifty active banders reported banding 91,315 individuals of 343 species/forms. This ties for the most species/forms reported by this region, and the total number of birds reported banded is about 10% less than last year. We received no reports from North Dakota and South Dakota. Texas banding represented 30% of the banding total and Ohio 22%. The numbers of reported banded birds increased in Arkansas, Illinois, Indiana, Kansas, Minnesota, Oklahoma, Tennessee, and Wisconsin.

The most frequently banded bird was one of the smallest: 13,535 Ruby-throated Hummingbirds were banded. In second place is one of the larger species: Canada Geese with 6008 individuals banded. Other species commonly banded include Purple Martin in third place with 3839 individuals banded, Yellow Warbler fourth with 3256, American Goldfinch with 2915, White-throated Sparrow with

2791, Gray Catbird with 2620, Black-chinned Hummingbird with 2367, Tennessee Warbler with 2334, and White-winged Dove with 2331.

Brent Ortego

Texas Parks and Wildlife Department
2805 N. Navarro, Suite 600B
Victoria, TX 77901
Brent.Ortego@tpwd.state.tx.us



SPECIES	MB SK	ND SD	MI,MN WI	KS NE	IA MO	IL IN	OH	KY TN	AR OK	TX	AL,LA MS	TOTAL	HIGH BANDERS
Black-bellied Whistling-Duck										54		54	52 (W1), 2 (D1)
Fulvous Whistling-Duck										29		29	28 (W1), 1 (D1)
Canada Goose	4						6004					6008	6004 (O1), 4 (H1)
Trumpeter Swan							2					2	2 (O1)
Wood Duck							1122			2	37	1161	1122 (O1), 37 (I1), 1 (D1, W1)
Gadwall										2	4	6	4 (I1), 2 (D1)
Mallard						2	41				143	186	143 (I1), 41 (O1), 2 (K1)
Mottled Duck										447		447	434 (M3), 12 (W1), 1 (D1)
Blue-winged Teal										208	2	210	207 (W1), 2 (I1), 1 (D1)
N. Pintail							1				1	2	1 (I1, O1)
Green-winged Teal											146	146	146 (I1)
Pied-billed Grebe										1		1	1 (D1)
Brown Pelican										5		5	5 (D1)
Double-crested Cormorant							3					3	3 (B6)
Least Bittern										1		1	1 (D1)
Great Blue Heron							16					16	16 (B6)
Great Egret						7	22					29	22 (B6), 7 (K1)
Snowy Egret						7						7	7 (K1)
Little Blue Heron						8				1		9	8 (K1), 1 (D1)
Cattle Egret						2	4				1	7	4 (B6), 2 (K1), 1 (S1)
Green Heron										2	3	5	2 (D1, M1), 1 (S1)
Black-crowned Night-Heron						4	7					11	6 (B6), 4 (K1)
Yellow-crowned Night-Heron										1		1	1 (D1)
Turkey Vulture	92											92	92 (H1)
Osprey							51					51	51 (O1)
Mississippi Kite										18		18	13 (B4), 5 (D1)
Bald Eagle							14					14	14 (O1)
N. Harrier	5									4		9	5 (H1), 4 (D1)
Sharp-shinned Hawk	3		1				3	1		35	1	44	34 (D1), 3 (B6, H3)
Cooper's Hawk	24									30		54	26 (D1), 24 (H1), 4 (C1)
Harris's Hawk										4		4	4 (C1)
Red-shouldered Hawk								2		32		34	26 (D1), 6 (B4), 2 (V1)
Broad-winged Hawk			1								2	3	2 (S1), 1 (C2)
Swainson's Hawk	86									1		87	86 (H1), 1 (D1)
White-tailed Hawk										29		29	19 (B4), 10 (D1)
Red-tailed Hawk	9							3		33		45	29 (D1), 9 (H1), 3 (C1, V1)
Ferruginous Hawk	91									7		98	91 (H1), 7 (B4)
Am. Kestrel	28		23			14	2	15		36		118	28 (H1), 23 (B3), 19 (C1), 15 (V1), 13 (B4)
Merlin	8									1		9	7 (H1), 1 (C1, H3)
Prairie Falcon	6											6	6 (H1)
Yellow Rail										11		11	9 (W1), 2 (D1)
Clapper Rail											1	1	1 (S1)
King Rail							5			1		1	5 (B6), 1 (D1)
Virginia Rail							119					1	119 (B6)
Sora							68			1		69	68 (B6), 1 (D1)
Com. Moorhen										1		1	1 (D1)
Am. Coot										1		1	1 (D1)
Am. Golden-Plover				3								3	3 (S2)
Wilson's Plover										2		2	2 (S2)
Semipalmated Plover				5			1					6	5 (S2), 1 (D6)
Killdeer				5			6			8	1	20	6 (B6), 5 (D1, S2)
Black-necked Stilt										6		6	6 (D1)
Am. Avocet	1											1	1 (H1)
Greater Yellowlegs										2		2	2 (D1)
Lesser Yellowlegs				2			2			19		23	19 (D1), 2 (B6, S2)
Solitary Sandpiper				5						3	1	9	5 (S2), 3 (D1), 1 (M1)
Spotted Sandpiper				7						11		18	9 (D1, S2)
Upland Sandpiper			2	89								91	89 (S2), 2 (J1)
Ruddy Turnstone										1		1	1 (D1)
Semipalmated Sandpiper							12			24		36	24 (D1), 12 (B6)
W. Sandpiper										164		164	164 (D1)
Least Sandpiper				124			8			255		387	242 (D1), 137 (S2), 8 (B6)
White-rumped Sandpiper				21								21	21 (S2)
Pectoral Sandpiper				7						39		46	33 (S2), 13 (D1)
Dunlin										17		17	17 (D1)
Stilt Sandpiper				12			1			11		24	12 (S2), 11 (D1), 1 (B6)
Buff-breasted Sandpiper										50		50	39 (S2), 11 (D1)
Short-billed Dowitcher							82					82	82 (B6)
Long-billed Dowitcher										7		7	6 (D1), 1 (S2)
Wilson's Snipe			2							2		4	2 (J1, S2)
Am. Woodcock	2						2			1		5	2 (B6, H3), 1 (D1)
Wilson's Phalarope				3						2		5	3 (S2), 2 (D1)
Herring Gull							30					30	30 (B6)

SPECIES	MB SK	ND SD	MI, MN WI	KS NE	IA MO	IL IN	OH	KY TN	AR OK	TX	AL, LA MS	TOTAL	HIGH BANDERS
Com. Tern							206					206	206 (B6)
Black Tern							2					2	2 (B6)
Black Skimmer										2		2	2 (D1)
Eur. Collared Dove	3											3	3 (H1)
White-winged Dove										2331		2331	2000 (S3), 331 (D1)
Mourning Dove	1		41	23		88	1998	3	4	51		2209	1997 (O1), 79 (K1), 49 (D1), 21 (B2), 19 (C2)
Inca Dove									1	88		89	67 (D1), 15 (C3), 5 (C1), 1 (B5, C6)
Com. Ground Dove										181		181	102 (D1), 57 (C5), 18 (C1)
White-tipped Dove										15		15	8 (C1), 5 (B5), 2 (D1)
Black-billed Cuckoo	1		2				7	2		1		13	7 (B6), 2 (B3, M2), 1 (B5, H3)
Yellow-billed Cuckoo			1	4			9		3	13	52	82	24 (M1), 20 (S1), 9 (B6, D1), 8 (T1)
Greater Roadrunner										1		1	1 (D1)
Groove-billed Ani										4		4	3 (D1), 1 (C1)
Barn Owl							40			19		59	39 (B6), 17 (B4), 2 (D1), 1 (O1)
Flammulated Owl										5		5	5 (D1)
W. Screech-Owl										1		1	1 (D1)
E. Screech-Owl			1					1		9		11	9 (D1)
Great Horned Owl	53									6		59	53 (H1), 5 (B4)
Snowy Owl	2											2	2 (H1)
N. Hawk Owl	19											19	19 (H1)
Elf Owl										1		1	1 (D1)
Burrowing Owl										1		1	1 (D1)
Barred Owl			2							25		27	25 (D1), 2 (J1)
Great Gray Owl	4											4	4 (H1)
Long-eared Owl	4											4	4 (H1)
Short-eared Owl	3											3	3 (H1)
N. Saw-whet Owl	253		72				1					326	253 (H1), 69 (B3)
Com. Nighthawk				26						1		27	26 (S2)
Com. Pauraque										6		6	4 (D1), 2 (C1)
Com. Poor-will				9								9	9 (S2)
Chuck-will's-widow										1	2	3	1 (D1, M1, S1)
Whip-poor-will										1	4	5	4 (S1), 1 (D1)
Chimney Swift						4						4	4 (H2)
Broad-billed Hummingbird										1	1	2	1 (B5, D1)
Buff-bellied Hummingbird										203	1	204	203 (D1)
Lucifer Hummingbird										1		1	1 (S1)
Ruby-throated Hummingbird			637		6	5832	70			5629	1361	13535	5154 (D1), 4608 (H2), 1230 (K1), 1123 (B5), 650 (C2)
Black-chinned Hummingbird						1				2363	3	2367	2006 (D1), 341 (S1)
Anna's Hummingbird										8		8	8 (D1)
Costa's Hummingbird										1		1	1 (D1)
Calliope Hummingbird										4	7	11	7 (B5), 4 (D1)
Broad-tailed Hummingbird										5		5	5 (D1)
Rufous Hummingbird						6	2			47	40	95	47 (D1), 40 (B5)
Allen's Hummingbird										10	1	11	10 (D1)
Belted Kingfisher										3		3	3 (D1)
Green Kingfisher										9		9	5 (D1), 4 (C1)
Red-headed Woodpecker				2			7				4	13	7 (B6), 4 (T1), 2 (H4)
Golden-fronted Woodpecker										57		57	28 (D1), 19 (C1), 6 (C5), 3 (J2)
Red-bellied Woodpecker			15	5		8	7		12	9	21	77	17 (T1)
Yellow-bellied Sapsucker	8		14			1	10	4	1	3	15	56	11 (B3), 10 (B6), 8 (H3), 5 (T1), 4 (M2)
Ladder-backed Woodpecker										40	1	41	18 (D1), 14 (C1), 6 (C5)
Downy Woodpecker	11		104	5		21	58	13	14	17	37	280	58 (B6), 57 (B3), 37 (T1), 18 (J1), 11 (H3)
Hairy Woodpecker	6		36	1		1	3	1	1			4	53 (B3)
N. (Yellow-shafted) Flicker	21		2	8		2	13				5	51	15 (H3), 13 (B6), 8 (H4), 6 (H1)
Pileated Woodpecker			4							2	1	7	2 (D1, D2), 1 (B3, B6, J1, M1)
Olive-sided Flycatcher	4						1					5	4 (H3)
W. Wood-Pewee										4		4	4 (D1)
E. Wood-Pewee	32		9	2			53	1	1	25	67	190	53 (B6), 32 (H3), 27 (M1, S1), 13 (T1)
Yellow-bellied Flycatcher	8		6				125			31	3	173	125 (B6), 17 (C1), 13 (D1), 8 (H3)
Acadian Flycatcher							16		1	35	120	172	113 (T1), 24 (D1), 16 (B6), 10 (C1)
Trail's Flycatcher	51		10	24			227	1		203	3	519	227 (B6), 136 (C1), 56 (D1), 51 (H3), 24 (H4)
Alder Flycatcher			1				14	1		21		37	18 (D1), 16 (B6)
Willow Flycatcher							60		2	6		68	60 (B6)
Least Flycatcher	260		13	21		2	162	2	1	59	6	526	260 (H3), 162 (B6), 49 (D1), 21 (H4)
Gray Flycatcher										3		3	3 (D1)
Dusky Flycatcher										5		5	3 (S1), 2 (D1)
W. Flycatcher										1		1	1 (D1)
Black Phoebe										5		5	5 (D1)


SPECIES	MB SK	ND SD	MI, MN WI	KS NE	IA MO	IL IN	OH	KY TN	AR OK	TX	AL, LA MS	TOTAL	HIGH BANDERS
E. Phoebe	68		16	4		2	50	9	2	93	22	266	85 (D1), 50 (B6), 37 (H3), 31 (H1)
Say's Phoebe										9		9	5 (S1), 4 (D1)
Vermilion Flycatcher										6		6	6 (D1)
Ash-throated Flycatcher										19		19	11 (D1), 4 (S1), 3 (J2)
Great Crested Flycatcher			1				27		2	28	13	71	27 (B6), 21 (D1)
Brown-crested Flycatcher										75		75	44 (C1), 13 (C5), 12 (D1), 6 (B5)
Great Kiskadee										34		34	25 (C1), 8 (D1), 1 (B5)
Tropical Kingbird										1		1	1 (B5)
Couch's Kingbird										10		10	5 (C1), 4 (D1), 1 (B5)
Cassin's Kingbird										1		1	1 (D1)
E. Kingbird	23		1	7			5			2	28	66	23 (H3, M1), 7 (H4), 5 (B6, S1)
Scissor-tailed Flycatcher										7		7	6 (D1), 1 (S1)
N. Shrike	3											3	3 (H1)
Loggerhead Shrike	13			2						4		19	13 (H1), 4 (D1)
White-eyed Vireo			33				24	6	18	408	531	1020	360 (S1), 288 (D1), 122 (T1), 72 (C3)
Bell's Vireo				2						32		34	22 (D1), 6 (S1), 4 (C5), 2 (H4)
Black-capped Vireo										854		854	854 (C3), 1 (D1)
Gray Vireo										3		3	3 (S1)
Yellow-throated Vireo	1		2					1		4	8	16	6 (S1), 4 (D1)
Plumbeous Vireo										2		2	2 (D1)
Cassin's Vireo										1		1	1 (S1)
Blue-headed Vireo	6		10				52	88		12	13	181	58 (M2), 52 (B6), 30 (V1), 12 (D1), 10 (C2)
Hutton's Vireo										1		1	1 (D1)
Warbling Vireo	77		7	8			95			5	7	199	95 (B6), 77 (H3), 8 (H4), 7 (C2, M1), 5 (D1)
Philadelphia Vireo	9						34	3				26	34 (B6), 14 (S1), 12 (M1), 9 (H3)
Red-eyed Vireo	22		31	2			281	19	2	26	226	609	281 (B6), 175 (S1), 45 (M1)
Yellow-green Vireo										2		2	2 (B5)
Black-whiskered Vireo											1	1	1 (M1)
Gray Jay	1		1									2	1 (D2, H1)
Blue Jay	6		69	26		1	37	2	7	21	14	183	37 (B6), 31 (C2), 21 (B3), 16 (B2), 10 (H4)
Green Jay										43		43	24 (D1), 16 (C1), 2 (B5), 1 (C5)
W. Scrub Jay										15		15	13 (S1), 2 (D1)
Black-billed Magpie	6											6	6 (H1)
American Crow	5		3							1		9	5 (H1), 3 (D2)
Com. Raven	35											35	35 (H1)
Purple Martin	278		137				829		744	1851		3839	1387 (D1), 1208 (R1), 829 (B6), 278 (H1), 137 (N1)
Tree Swallow	502		232	2			631					1367	631 (B6), 442 (H1), 229 (D2)
N. Rough-winged Swallow	2		21	5		4	15			2	1	50	21 (C2), 15 (B6), 5 (H4)
Bank Swallow						13	558			3		574	558 (B6), 13 (K1)
Cliff Swallow										382		382	382 (D1)
Cave Swallow										35	1	36	35 (D1)
Barn Swallow	72		2	7			21			15	18	135	50 (H3), 22 (H1), 21 (B6), 18 (S1), 15 (D1)
Carolina Chickadee						17		24	76	155	70	342	123 (D1), 60 (T1), 34 (C6)
Black-capped Chickadee	52		416	2		12	44					526	206 (B3), 64 (D3), 60 (J1), 44 (B6)
Tufted Titmouse			36			22	17	17	49	74	161	376	154 (T1), 61 (D1), 33 (C6)
Black-crested Titmouse										127		127	81 (D1), 18 (C1), 8 (C5), 4 (S1), 2 (B5, J2)
Verdin										34		34	23 (D1), 6 (C1), 4 (S1), 1 (C5)
Bushtit										2		2	2 (S1)
Red-breasted Nuthatch	1		35			1	10	2				49	15 (B3), 10 (D3), 9 (D2)
White-breasted Nuthatch	6		85			19	28			1		139	55 (B3), 28 (B6)
Brown Creeper	52		42			4	63	3		6	11	181	63 (B6), 52 (H3), 34 (C2)
Cactus Wren										11		11	8 (D1), 3 (S1)
Rock Wren										1		1	1 (D1)
Canyon Wren										6		6	6 (D1)
Carolina Wren			8			5	40	5	21	225	175	479	177 (D1), 155 (T1), 40 (B6)
Bewick's Wren									2	124		126	70 (D1), 17 (C1), 12 (S1), 10 (C5), 8 (C3)
House Wren	113		27	37		10	188		1	110	87	573	188 (B6), 98 (H3), 86 (D1), 82 (S1), 37 (H4)
Winter Wren	7		22	3			44	2	2	11	4	95	44 (B6), 22 (C2)
Sedge Wren			13	1						10	1	25	13 (J1), 8 (C3)
Marsh Wren	35		1	1			3			16	3	59	35 (H3), 9 (D1)
Golden-cr. Kinglet	59		192	1			310	10	2	18	39	631	310 (B6), 188 (C2), 59 (H3), 39 (T1)
Ruby-cr. Kinglet	243		172	30		3	661	119	24	378	267	1897	661 (B6), 243 (H3), 231 (D1), 155 (C2), 148 (S1)
Blue-gray Gnatcatcher			2				9		4	62	35	112	48 (D1), 28 (S1)
Black-tailed Gnatcatcher										6		6	5 (D1), 1 (S1)
E. Bluebird	18		8	295		7	336		74	14	3	755	336 (B6), 287 (B2), 70 (C6)
W. Bluebird										2		3	2 (D1)
Mountain Bluebird	231											231	157 (P1), 74 (H1)
Veery	7		19			1	110	63	2	6	31	239	110 (B6), 41 (M2), 23 (M1), 22 (V1), 13 (C2)
Gray-cheeked Thrush	24		21	1		2	255	8		10	71	392	255 (B6), 49 (M1), 24 (H3), 17 (C2), 14 (S1)
Gray-cheeked/Bicknell's Thrush								1				18	18 (M1)
Swainson's Thrush	205		86	17		2	631	512	24	32	136	1645	631 (B6), 389 (M2), 203 (H3), 123 (V1), 68 (S1)

SPECIES	MB SK	ND SD	MI, MN WI	KS NE	IA MO	IL IN	OH	KY TN	AR OK	TX	AL, LA MS	TOTAL	HIGH BANDERS
Hermit Thrush	103		189	1		1	439	5	3	107	37	885	439 (B6), 161 (C2), 102 (H3), 74 (D1), 32 (T1)
Wood Thrush			8			3	61	31		6	253	362	275 (S1), 61 (B6), 24 (M2), 19 (T1)
Am. Robin	42		69	34		21	134	24	14	15	1	354	134 (B6), 43 (C2), 34 (H4), 31 (H3), 24 (M2)
Gray Catbird	84		75	78		6	1005	9	2	85	1276	2620	1005 (B6), 879 (S1), 382 (M1), 84 (H3), 76 (H4)
N. Mockingbird				4			2	1	13	165	33	218	99 (D1), 45 (S1)
Brown Thrasher	1		3	42			18	5	7	21	49	146	29 (H4), 27 (T1), 19 (S1), 18 (B6), 14 (D1)
Long-billed Thrasher										144		144	92 (D1), 39 (C1), 11 (C5), 4 (B5)
Curve-billed Thrasher										9		9	7 (D1), 2 (C1)
Eur. Starling	4			1		3				2		10	
Bohemian Waxwing	50											50	50 (H1)
Cedar Waxwing	35		13	1			26	3		12		90	35 (H3), 26 (B6), 9 (D1), 8 (N1)
Blue-winged Warbler			3				17	2		3	9	34	17 (B6), 6 (M1)
Golden-winged Warbler			9				9	3		1	2	24	9 (B6), 5 (B3), 2 (M1, V1)
Brewster's Warbler			1				1				1	3	1 (B6, C2, S1)
Tennessee Warbler	679		31			3	165	1281		20	155	2334	695 (M2), 679 (H3), 584 (V1), 165 (B6), 86 (M1)
Orange-crowned Warbler	63		26	41		1	27	1	38	109	29	335	81 (D1), 60 (H3), 41 (H4), 36 (G1), 27 (B6)
Nashville Warbler	103		119	2		5	353	6	8	148	6	750	353 (B6), 134 (D1), 103 (H3), 99 (C2)
N. Parula			4				13		1	12	20	50	14 (S1), 13 (B6), 8 (D1)
Tropical Parula										1		1	1 (D1)
Yellow Warbler	2539		35	27			511		4	98	42	3256	2539 (H3), 511 (B6), 75 (D1), 41 (M1), 27 (H4)
Chestnut-sided Warbler	10		54				214	62		2	18	360	214 (B6), 46 (V1), 36 (C2), 16 (M2), 13 (M1)
Magnolia Warbler	45		130			7	1052	100		37	367	1738	1052 (B6), 317 (S1), 124 (C2), 71 (V1), 45 (H3)
Cape May Warbler	39		2				109	75				225	109 (B6), 73 (M2), 39 (H3)
Black-thr. Blue Warbler			42				115	254		2	6	419	180 (M2), 115 (B6), 74 (V1), 42 (C2), 6 (S1)
Yellow-rumped Warbler										90		90	
Myrtle Warbler	339		46	41			574	4	17	6	50	1077	574 (B6), 339 (H3)
Audubon's Warbler										30		30	30 (S1)
Golden-cheeked Warbler										155		155	153 (C3), 2 (D1)
Black-thr. Green Warbler	5		10				88	34		7	29	173	88 (B6), 21 (S1, V1), 13 (M2)
Blackburnian Warbler	7		4				44	17			6	78	44 (B6), 9 (V1), 8 (M2), 7 (H3), 5 (M1)
Yellow-throated Warbler									2	2	2	6	
Pine Warbler			1				2	2		4	12	21	7 (S1), 5 (M1)
Prairie Warbler			1				1	2			10	14	10 (S1)
W. Palm Warbler	29		22				165	48			83	347	165 (B6), 83 (S1), 46 (M2), 29 (H3), 19 (J1)
Yellow Palm Warbler							1				4	5	4 (S1)
Bay-breasted Warbler	18		26				82	49		1	5	181	82 (B6), 39 (M2), 26 (C2), 18 (H3), 10 (V1)
Blackpoll Warbler	19		8	4			722	3			5	761	722 (B6), 19 (H3), 5 (M1), 4 (H4)
Cerulean Warbler										1	5	6	3 (M1), 2 (S1)
Black-and-white Warbler	56		34			2	161	41	4	41	73	412	161 (B6), 56 (H3), 39 (S1), 33 (M1), 24 (V1)
Am. Redstart	207		87	3		2	279	36		21	117	752	279 (B6), 207 (H3), 106 (S1), 55 (J1)
Prothonotary Warbler							20		130	17	192	359	130 (W2), 106 (S1), 81 (T1), 20 (B6), 5 (W1)
Worm-eating Warbler							1	8		1	28	38	19 (S1), 13 (B2)
Swainson's Warbler									43	1	32	76	43 (R2), 25 (T1), 6 (S1), 5 (W1)
Ovenbird	63		574	1		4	279	147	2	62	102	1234	279 (B6), 91 (M2), 61 (H3), 56 (V1), 51 (M1)
N. Waterthrush	212		40	1		2	163		5	68	108	599	212 (H3), 163 (B6), 87 (M1), 50 (D1), 32 (C2)
Louisiana Waterthrush			1							3	16	20	11 (S1), 5 (M1)
Kentucky Warbler							4	2	8	16	62	92	35 (T1), 14 (S1), 13 (M1), 8 (W2)
Connecticut Warbler	3					11	16	3				33	16 (B6), 3 (H3, M2)
Mourning Warbler	45		17				129		2	77		270	129 (B6), 58 (D1), 45 (H3), 18 (C1)
MacGillivray's Warbler										9		9	8 (S1)
Com. Yellowthroat	356		100	99			449	5	6	327	301	1643	449 (B6), 356 (H3), 278 (D1), 184 (S1), 107 (M1)
Hooded Warbler			1				10	50		34	124	219	63 (S1), 46 (M1), 34 (V1), 16 (M2), 15 (T1)
Wilson's Warbler	45		45	4			229		1	120	5	449	229 (B6), 80 (D1), 45 (H3), 43 (C2), 20 (C1)
Canada Warbler	27		17				111	2		27	7	191	111 (B6), 27 (H3), 15 (C2), 13 (D1), 9 (C1)
Yellow-breasted Chat				1			10		6	190	87	294	162 (D1), 57 (T1), 21 (M1), 16 (C1), 14 (S1)
Hepatic Tanager										2		2	2 (D1)
Summer Tanager							5		3	59	83	150	49 (D1), 37 (M1), 31 (T1), 19 (S1), 13 (B2)
Scarlet Tanager			1				8	16			46	71	24 (M1), 22 (S1), 13 (M2), 8 (B6)
W. Tanager										4	1	5	3 (D1), 1 (M1, S1)
Olive Sparrow										132		132	77 (D1), 36 (C1), 17 (B5), 2 (C5)
Green-tailed Towhee										2		2	2 (S1)
Spotted Towhee					3				1	6		10	4 (D1), 3 (H4)
E. Towhee			8				17	21			35	81	35 (T1), 17 (B6), 13 (M2), 8 (V1)
Canyon Towhee										24		24	16 (S1), 8 (D1)
Cassin's Sparrow										2		2	2 (D1)
Rufous-crowned Sparrow										12		12	8 (D1), 3 (C3), 1 (J2)
Am. Tree Sparrow	3		39	180			36		2			260	178 (H4), 36 (B6), 23 (J1)
Chipping Sparrow	63		82	15		2	140	2	14	1708	29	2055	1032 (D1), 542 (C3), 140 (B6)
Clay-colored Sparrow	45		8	4					1	47		105	45 (H3), 23 (D1, S1), 4 (B3, H4)
Brewer's Sparrow										5		5	4 (D1), 1 (S1)
Field Sparrow			14	8		2	106	4	24	76	5	239	106 (B6), 45 (D1)
Vesper Sparrow	2			1			3			1		7	3 (B6)

SPECIES	MB SK	ND SD	MI, MN WI	KS NE	IA MO	IL IN	OH	KY TN	AR OK	TX	AL, LA MS	TOTAL	HIGH BANDERS
Lark Sparrow							126			435		561	343 (D1), 126 (B6), 79 (S1)
Black-throated Sparrow										31		31	22 (D1), 7 (S1), 2 (C5)
Savannah Sparrow			85	7					18	68	13	191	84 (J1), 58 (D1), 18 (W2)
Grasshopper Sparrow							2			3		5	2 (B6, D1), 1 (W1)
Henslow's Sparrow									3			3	3 (W2)
LeCote's Sparrow			105						16	13		134	105 (J1), 16 (W2), 7 (D1), 5 (W1)
Nelson's Sharp-tailed Sparrow	1									2	1	4	2 (C1), 1 (H3, S1)
Seaside Sparrow										23		23	22 (C1)
Fox Sparrow	17		58	5		1	12		19	16	2	130	29 (C2), 25 (B3), 17 (H3), 12 (B6), 11 (W2)
Song Sparrow	303		198	68		2	131	4	21	35	5	767	303 (H3), 133 (C2), 131 (B6), 68 (H4)
Lincoln's Sparrow	85		16	88		1	128		34	281	8	641	241 (D1), 128 (B6), 86 (H4), 82 (H3)
Swamp Sparrow	57		84	14		3	221		6	201	38	624	221 (B6), 186 (D1), 64 (C2), 57 (H3), 18 (S1)
White-throated Sparrow	616		481	38		64	1100	16	38	184	254	2791	1100 (B6), 511 (H3), 399 (C2), 238 (T1), 124 (I1)
Harris's Sparrow	26			176					81	11	2	296	149 (B2), 69 (G1), 27 (H4), 22 (H3)
White-crowned Sparrow	12		10	7		8	74		45	62	29	247	74 (B6), 30 (S1), 29 (I1)
E. White-crowned Sparrow			31	75				1				107	75 (B2)
Gambel's White-crowned	15											15	15 (H1)
Dark-eyed Junco						49		40	82	46		217	81 (G1)
Slate-colored Junco	670		319	136		42	70	122	28	48		1435	420 (H1), 250 (H3), 216 (B3), 122 (M2)
Oregon Junco			1									1	
N. Cardinal			69	53		47	131	12	113	1077	184	1686	848 (D1), 135 (T1), 131 (B6)
Pyrrhuloxia										37		37	17 (D1), 13 (S1), 5 (C5)
Rose-breasted Grosbeak	20		60	4			39	23		6	62	214	40 (B3), 39 (B6, M1), 20 (H3), 17 (M2)
Black-headed Grosbeak										9		9	6 (D1), 3 (S1)
Blue Grosbeak							1			37	18	56	34 (S1), 17 (D1)
Lazuli Bunting										8		8	7 (D1), 1 (S1)
Indigo Bunting			13	5		16	149	7	27	180	442	839	202 (S1), 141 (M1), 154 (D1), 149 (B6), 99 (T1)
Varied Bunting										10		10	10 (S1)
Painted Bunting									14	792	47	853	606 (D1), 64 (S1), 54 (C5), 41 (J2), 16 (C3)
Dickcissel			5	25						1	2	33	23 (S2)
Bobolink			5				6					11	6 (B6), 5 (J1)
Red-winged Blackbird	69		81	51		2	251		3	171	29	657	251 (B6), 150 (D1), 69 (H3)
E. Meadowlark									1			1	1 (W2)
Yellow-headed Blackbird	18											18	18 (H3)
Rusty Blackbird			12				6				22	40	22 (T1), 10 (J1), 6 (B6), 2 (C2)
Brewer's Blackbird	3		5									8	5 (J1), 3 (H1)
Corn Grackle	11		22	153		16	61			29	6	298	149 (B2), 61 (B6)
Boat-tailed Grackle											6	6	6 (M1)
Great-tailed Grackle										7	1	8	3 (D1), 2 (B5)
Bronzed Cowbird										31		31	20 (C1), 4 (C3), 2 (B5, D1, S1)
Brown-headed Cowbird	51		10	9		9	14	1	4	187	29	255	147 (C3), 50 (H3), 14 (B6)
Orchard Oriole	36			11			17			39	151	254	103 (M1), 62 (S1), 36 (H3), 18 (D1), 17 (B6)
Hooded Oriole										4		4	2 (B5, D1)
Bullock's Oriole										33	11	44	17 (J2), 14 (D1), 11 (S1), 2 (C5)
Altamira Oriole										3		3	2 (B5), 1 (C1)
Audubon's Oriole										11		11	11 (D1)
Baltimore Oriole	137		12	38			76		1	17	33	314	137 (H3), 76 (B6), 38 (H4), 32 (M1), 13 (D1)
Scott's Oriole											5	5	5 (S1)
Pine Grosbeak			21									21	21 (D3)
Purple Finch	6		94			156	2	16				274	155 (H2), 91 (B3)
House Finch	60		32	2		18	71		16	356		555	249 (D1), 71 (B6), 60 (H1, S1), 34 (C3)
Hoary Redpoll			1									1	1 (J1)
Corn Redpoll	2		116									118	100 (D3), 16 (J1), 1 (H1, H3)
Pine Siskin	23		28					3		310		364	145 (C3), 65 (D1), 20 (H1)
Lesser Goldfinch										66		66	64 (D1)
Am. Goldfinch	72		1144	63		285	659	4	33	647	8	2915	717 (B3), 659 (B6), 484 (D1), 231 (C2), 156 (C3)
Evening Grosbeak			2									2	2 (D3)
House Sparrow	3			1		18			21			43	21 (B5), 13 (K1)
Eur. Tree Sparrow						32						32	32 (K1)
Individuals	10935	0	7869	2491	6	6977	20430	3548	2082	27811	9166	91315	
Species/Forms	120	0	127	90	1	66	144	81	78	253	134		

Responding Banders

#	NAME	ADDRESS	E-MAIL	TELEPHONE	Species	Number
D1	Barrow, John	4146 Congressional Dr., Corpus Christi, TX 78413	barrow@chilitech.com	361-883-2100		
B1	Bassett, Fred	1818 W. Astrid Pl., Montgomery, AL 36117	Fhound@aol.com	334-244-0227		
B5	Beall, Linda	P.O. Box 2529, Covington, LA 70434-2529	lbeall@minilogic.com	985-893-5150	7	1176
B3	Beaver Creek Reserve	S1 County Highway K, Fall Creek, WI 54742	beavercreekreserve.org	715-877-2212	68	1986
D1	Beree, Susan		beree@sbcglobal.net			
B6	Black Swamp Bird Observatory	Mark Shieldcastle, 13229 W. SR2, Oak Harbor, OH 43449	mark.shieldcastle@dnr.state.oh.us	419-898-4070	144	18346
B4	Boal, Clint	USGS Texas Coop Fish & Wildl Res Unit, Texas Tech Univ, Lubbock, TX 79409	clint.boal@ttu.edu	806-742-2851	8	81
B2	Brecheisen, William	17099 SW Maryland Rd., Welda, KS 66091-3119			25	864
D1	Brower, Charlie	P.O. Box 96, West Columbia, TX 77486	cbrower@embarqmail.com	979-345-4020		
B5	Butler, Christ	Dept. Biol., Univ. Central Oklahoma, Edmond, OK 73034	CButler11@ucok.edu	405-974-5782	53	265
C6	Carter, William	P.O. Box 2209, Ada, OK 748921	wacarter@adacomp.net		14	189
C5	Chaparral Wildlife Mangt. Area	64 ChaparralWMA Dr., Cotulla, TX 78014	cwma@granderiver.net	830-676-3413	28	227
C2	Chartier, Allen	1442 West River Park Drive, Inkster, MI 48141	amazilia1@comcast.net	313-274-3434	86	3403
C4	Chenault, Ron & Jill	Lewisville Lake Environmental Learning Center, Fort Worth, TX	elfowl@netzero.com		50	301
C3	Cimprich, David	743 CR 3364, Kempner, TX 76539	dcimprich@seacove.net	254-288-2721	51	2457
C1	Conway, Mark	Rio Grande Valley Bird Observatory, 2106 Emerald Lake Dr., Harlingen, TX 78550	markhconway@hotmail.com	956-412-6631	95	1029
D1	Dawkins, Ross	Box 10892, San Angelo, TX 76909	Ross.Dawkins@angelo.edu	915-942-2064	234	19051
D3	DeLong, Bruce L.	763 Pondhurst Circle, Amery, WI 54001	bldeLong@amerytel.net		34	453
D2	Dring, Peter & Carolyn	7310 Helem Creek Rd., Land O'Lakes, WI 54540	cpdring@nnex.net	715-547-3485	23	293
G1	Goulden, Darrell R.	1107 Foreman Rd. NE, Yukon, OK 73099	tedgoulden@aol.com	405-354-3619	47	526
H3	Haan, Heidi den	Delta Marsh Field Sta., Box 38, R.R. #2, Portage la Prairie, MB R1N3A2	hdenhaan@cc.umanitoba.ca	204-857-8637	84	8548
H4	Herzinger, Morelle & Sandra	611 Leavitt Lane, Lincoln, NE 68510	smherzinger@neb.rr.com	402-488-4184	73	1288
H1	Houston, Stuart	863 University Dr., Saskatoon, SK S7N 0J8	stuart.houston@usask.ca	306-244-0742	56	2393
H2	Hutcheson, Cathie	1 Rowan Road, Makanda, IL 62958	hutch@siu.edu	618-529-2022	27	5117
I1	Ingold, James	Dep. Biol. Sci., LSU-Shreveport, Shreveport, LA 71115	JINGOLD@pilot.lsu.edu	318-797-5236	40	722
J2	Janis, Michael	Matador Wildlife Management Area, 3036 FM 3256, Paducah, TX 79248	mjanis@caprock-spur.com	806-492-3405	12	117
J1	Johnson, Brian	2994 Michigan NE, Grand Rapids, MI 49506	baidaj@yahoo.com		72	852
K1	Kleen, Vern		kleen@insightbb.com		57	1804
D1	Lirette, Brad	3210 Autumn Court, Pearland, TX 77584	lirettb@yahoo.com	281-750-1826		
D1	Lookingbill, Robert & Kay	106 Arrowwood St., Lake Jackson, TX 77566	rlookingbill@houston.rr.com	979-297-9730		
M2	Mayfield, G. Rad, III	Big Bald Banding Station, 635 Hatcher Rd., Ellenboro, NC 28040	rad@rutherford.k12.nc.us		52	2155
M3	Merendino, Todd	Texas Parks & Wildl. Dep., Bay City Courthouse, Bay City, TX	Todd.Merendino@tpwd.state.tx.us		1	434
M1	Moore, Frank	Dep. Biol. Sci., Univ. South. Mississippi, Hattiesburg, MS 39406-0001	frank.moore@usm.edu	601-266-4394	89	2006
N1	Newstrom, Mark	Three Rivers Park District, Minnesota	boobird@aol.com	651-454-1888	52	447
O1	Ohio Div. Wildlife	Mark Shieldcastle, 13229 W. SR2, Oak Harbor, OH 43449	mark.shieldcastle@dnr.state.oh.us	(419) 898-0960	10	9234
D1	Ortego, Brent	Texas Parks & Wildl. Dep., 2805 N. Navarro, Suite 600B, Victoria, TX 77901	Brent.Ortego@tpwd.state.tx.us	361-576-0022		
P1	Pettinger, Ray	P.O. Box 555, Shoal Lake, MB R0T 1Z0	pettinger@goinet.ca	204-759-2826	3	205
R1	Ray, Jim		jdray@pantex.com	806-477-5161	1	1208
R2	Revels, Mia		revels@nsuok.edu		1	43
D1	Rorex, Bron	122 Cedar Ridge, Rockport, TX 78382	bronr@charter.net	361-790-9353		
S2	Sandercock, Brett	Divi. Biol., Kansas State Univ., Manhattan, KS 66506-4901	bsanderco@ksu.edu	785-532-0120	23	682
S1	Sargent, Bob	Hummer Bird Study Group, P.O. Box 250, Clay, AL 35048-0250	RubyThroat@aol.com	205-681-2888	130	4541
D1	Schatz, Lyndon		schatzlyndon@hotmail.com	361-575-5275		
S3	Schwertner, T. Wayne	Texas Parks & Wildlife Dept., 4200 Smith School Road, Austin, TX 78744				
T1	Twedt, Daniel J.	USGS Patuxent Wildl. Res. Center, 2524 S. Frontage Rd, Vicksburg, MS 39180	dan_twedt@usgs.gov		59	2010
V1	Vogt, David F	Tennessee Aquarium, P.O. Box 11048, Chattanooga, TN 37401	DV@tnaqua.org	423-785-4036	67	1392
V2	Vollert, Darryl	P.O. Box 27, Chappell Hill, TX 77426-0027	darrelly@computexas.net	979-251-9662	13	76
W1	Wilson, Jennifer	Texas Mid-Coast National Wildlife Refuge Complex, Angleton, TX	jennifer_wilson@fws.gov	979-849-7771	10	325
W2	Wood, Doug	Dept. Biol. Sci., PMB 4068, Southeastern Oklahoma State Univ., Durant, OK 74701	dwood@sosu.edu	580-745-2272	54	471
D1	Zalk, Craig	P.O. Box 747, Falls Church, VA 22040-0747	craig.zalk@gmail.com	703-208-4008		



Black-chinned Hummingbird
by George West